AUTHOR INDEX

VOLUME 8 NUMBERS 1–6

A

Ackman, R. G. See *Brockerhoff and Ackman* 661
Adams, Forrest H. See *Chida and Adams* 335
Adams, Ralph G. Effect of light on extraction of lipid from retinal rods 245
Aftergood, Lilla, and **Roslyn B. Alfin-Slater.** Sex differences in plasma cholesterol-esterifying activity in rats 126
Ahrens, E. H., Jr. Editorial: New editorial offices in Europe and Asia 1
———. Editorial: Suggested rules for the nomenclature of lipids 522
Alfin-Slater, Roslyn B. See *Aftergood and Alfin-Slater* 126
Arvidson, Gösta A. E. Reversed-phase partition thin-layer chromatography of rat liver lecithins to yield eight simple phosphatidyl cholines 155
Auxier, Edward M. See *MacKenzie et al.* 589

B

Baker, Nome, and **Michael C. Schotz.** Quantitative aspects of free fatty acid metabolism in the fasted rat 646
———. See *Garfinkel et al.* 274
Balint, John A., Donald A. Beeler, Donald H. Treble, and **Hugh L. Spitzer.** Studies in the biosynthesis of hepatic and biliary lecithins 486
Ballard, F. J., and **Richard W. Hanson.** The citrate cleavage pathway and lipogenesis in rat adipose tissue: replenishment of oxaloacetate 73
Barber, Shirley. See *Wiese et al.* 312
Barclay, Marion. See *Skipski et al.* 295
Baxter, James H., and **Daniel Steinberg.** Absorption of phytol from dietary chlorophyll in the rat 615
Beeler, Donald A. See *Balint et al.* 486
Bernsohn, Joseph. See *Miyamoto et al.* 191
Bierman, Edwin L. See *Vogel and Bierman* 46
Biezenski, J. J. Efficient elution of rabbit liver and plasma phospholipids from thin-layer plates 409
Blohm, Thomas R. See *MacKenzie et al.* 589
Borgström, Bengt. Partition of lipids between emulsified oil and micellar phases of glyceride–bile salt dispersions 598
Bosch, Virgilio, and **German Camejo.** Serum lipoproteinemia in pregnant and lactating rats 138
Bray, George A. Effects of epinephrine, corticotropin, and thyrotropin on lipolysis and glucose oxidation in rat adipose tissue 300
Breckenridge, W. C., and **A. Kuksis.** Molecular weight distributions of milk fat triglycerides for seven species 473
Brewington, C. R. See *Schwartz et al.* 54
Brockerhoff, H. Stereospecific analysis of triglycerides: an alternative method 167
——— and **R. G. Ackman.** Positional distribution of isomers of monoenoic fatty acids in animal glycerolipids 661
Burgwald, L. H. See *Schwartz et al.* 54

C

Cain, C. Eugene. See *White et al.* 158
Callahan, R. C. See *Damico et al.* 63
Camejo, German. See *Bosch and Camejo* 138
Carter, H. E., and **R. G. Gaver.** Improved reagent for trimethylsilylation of sphingolipid bases 391
Casu, Anna. See *Fleischer et al.* 170
Cavanna, Roberto, and **Maurice M. Rapport.** An improved preparation of bovine brain proteolipid 65
Chang, Ying-Ying, and **Eugene P. Kennedy.** Biosynthesis of phosphatidyl glycerophosphate in *Escherichia coli* 447
——— and ———. Phosphatidyl glycerophosphate phosphatase 456
Chen, Gloria C. See *Suzuki and Chen* 105
Chida, Nobukazu, and **Forrest H. Adams.** Incorporation of acetate into fatty acids and lecithin by lung slices from fetal and newborn lambs 335
Chung, Jiwhey, and **Toshiro Nishida.** Dissociation of low density lipoprotein–antibody precipitates at alkaline pH 631
Cohen, Charles F. See *Vroman and Cohen* 150
Colacicco, Giuseppe, and **Maurice M. Rapport.** A simplified preparation of phosphatidyl inositol 513
Conner, William E., and **Don S. Lin.** Placental transfer of cholestrol-4-^{14}C into rabbit and guinea pig fetus 558
Coon, Edmund. See *Wiese et al.* 312
Cornwell, David G. See *Deamer et al.* 255
———. See *Rao et al.* 380
Crain, F. D., F. J. Lotspeich, and **R. F. Krause.** Bisoynthesis of retinoic acid by intestinal enzymes of the rat 249

D

Damico, Ralph, R. C. Callahan, and **F. H. Mattson.** Synthesis of glycerol 1,3-dihexadecyl ether 63
Davison, V. L., and **H. J. Dutton.** Microreactor for methanolysis of triglycerides before gas–liquid chromatography 147
Dayton, Seymour, Sam Hashimoto, and **Morton Lee Pearce.** Adipose tissue linoleic acid as a criterion of adherence to a modified diet 508
Deamer, David W., Devon W. Meek, and **David G. Cornwell.** Properties, composition, and structure of stearic acid–stearate monolayers on alkaline earth solutions 255
Demeny, Margaret. See *Kessler et al.* 185
Diengott, Daniel, and **Shmuel Kerpel.** New type of needle for obtaining large samples of human adipose tissue 58
Dietschy, John M., and **Marvin D. Siperstein.** Effect of cholesterol feeding and fasting on sterol synthesis in seventeen tissues of the rat 97
Dodge, James T., and **Gerald B. Phillips.** Composition of phospholipids and of phospholipid fatty acids and aldehydes in human red cells 667
———. See *Phillips and Dodge* 676
Dutton, H. J. See *Davison and Dutton* 147

AUTHOR INDEX

VOLUME 8 NUMBERS 1–6

A

Ackman, R. G. See *Brockerhoff and Ackman* 661
Adams, Forrest H. See *Chida and Adams* 335
Adams, Ralph G. Effect of light on extraction of lipid from retinal rods 245
Aftergood, Lilla, and **Roslyn B. Alfin-Slater.** Sex differences in plasma cholesterol-esterifying activity in rats 126
Ahrens, E. H., Jr. Editorial: New editorial offices in Europe and Asia 1
———. Editorial: Suggested rules for the nomenclature of lipids 522
Alfin-Slater, Roslyn B. See *Aftergood and Alfin-Slater* 126
Arvidson, Gösta A. E. Reversed-phase partition thin-layer chromatography of rat liver lecithins to yield eight simple phosphatidyl cholines 155
Auxier, Edward M. See *MacKenzie et al.* 589

B

Baker, Nome, and **Michael C. Schotz.** Quantitative aspects of free fatty acid metabolism in the fasted rat 646
———. See *Garfinkel et al.* 274
Balint, John A., Donald A. Beeler, Donald H. Treble, and **Hugh L. Spitzer.** Studies in the biosynthesis of hepatic and biliary lecithins 486
Ballard, F. J., and **Richard W. Hanson.** The citrate cleavage pathway and lipogenesis in rat adipose tissue: replenishment of oxaloacetate 73
Barber, Shirley. See *Wiese et al.* 312
Barclay, Marion. See *Skipski et al.* 295
Baxter, James H., and **Daniel Steinberg.** Absorption of phytol from dietary chlorophyll in the rat 615
Beeler, Donald A. See *Balint et al.* 486
Bernsohn, Joseph. See *Miyamoto et al.* 191
Bierman, Edwin L. See *Vogel and Bierman* 46
Biezenski, J. J. Efficient elution of rabbit liver and plasma phospholipids from thin-layer plates 409
Blohm, Thomas R. See *MacKenzie et al.* 589
Borgström, Bengt. Partition of lipids between emulsified oil and micellar phases of glyceride–bile salt dispersions 598
Bosch, Virgilio, and **German Camejo.** Serum lipoproteinemia in pregnant and lactating rats 138
Bray, George A. Effects of epinephrine, corticotropin, and thyrotropin on lipolysis and glucose oxidation in rat adipose tissue 300
Breckenridge, W. C., and **A. Kuksis.** Molecular weight distributions of milk fat triglycerides for seven species 473
Brewington, C. R. See *Schwartz et al.* 54
Brockerhoff, H. Stereospecific analysis of triglycerides: an alternative method 167
——— and **R. G. Ackman.** Positional distribution of isomers of monoenoic fatty acids in animal glycerolipids 661
Burgwald, L. H. See *Schwartz et al.* 54

C

Cain, C. Eugene. See *White et al.* 158
Callahan, R. C. See *Damico et al.* 63
Camejo, German. See *Bosch and Camejo* 138
Carter, H. E., and **R. G. Gaver.** Improved reagent for trimethylsilylation of sphingolipid bases 391
Casu, Anna. See *Fleischer et al.* 170
Cavanna, Roberto, and **Maurice M. Rapport.** An improved preparation of bovine brain proteolipid 65
Chang, Ying-Ying, and **Eugene P. Kennedy.** Biosynthesis of phosphatidyl glycerophosphate in *Escherichia coli* 447
——— and ———. Phosphatidyl glycerophosphate phosphatase 456
Chen, Gloria C. See *Suzuki and Chen* 105
Chida, Nobukazu, and **Forrest H. Adams.** Incorporation of acetate into fatty acids and lecithin by lung slices from fetal and newborn lambs 335
Chung, Jiwhey, and **Toshiro Nishida.** Dissociation of low density lipoprotein–antibody precipitates at alkaline pH 631
Cohen, Charles F. See *Vroman and Cohen* 150
Colacicco, Giuseppe, and **Maurice M. Rapport.** A simplified preparation of phosphatidyl inositol 513
Conner, William E., and **Don S. Lin.** Placental transfer of cholestrol-4-^{14}C into rabbit and guinea pig fetus 558
Coon, Edmund. See *Wiese et al.* 312
Cornwell, David G. See *Deamer et al.* 255
———. See *Rao et al.* 380
Crain, F. D., F. J. Lotspeich, and **R. F. Krause.** Bisoynthesis of retinoic acid by intestinal enzymes of the rat 249

D

Damico, Ralph, R. C. Callahan, and **F. H. Mattson.** Synthesis of glycerol 1,3-dihexadecyl ether 63
Davison, V. L., and **H. J. Dutton.** Microreactor for methanolysis of triglycerides before gas–liquid chromatography 147
Dayton, Seymour, Sam Hashimoto, and **Morton Lee Pearce.** Adipose tissue linoleic acid as a criterion of adherence to a modified diet 508
Deamer, David W., Devon W. Meek, and **David G. Cornwell.** Properties, composition, and structure of stearic acid–stearate monolayers on alkaline earth solutions 255
Demeny, Margaret. See *Kessler et al.* 185
Diengott, Daniel, and **Shmuel Kerpel.** New type of needle for obtaining large samples of human adipose tissue 58
Dietschy, John M., and **Marvin D. Siperstein.** Effect of cholesterol feeding and fasting on sterol synthesis in seventeen tissues of the rat 97
Dodge, James T., and **Gerald B. Phillips.** Composition of phospholipids and of phospholipid fatty acids and aldehydes in human red cells 667
———. See *Phillips and Dodge* 676
Dutton, H. J. See *Davison and Dutton* 147

E

Eder, Howard A. See *Gidez et al.* 7
Eigenbrodt, Edward H. See *Gross et al.* 114
Ekelund, Lars-Göran. See *Havel et al.* 366
Elsbach, P. Metabolism of lysophosphatidyl ethanolamine and lysophosphatidyl choline by homogenates of rabbit polymorphonuclear leukocytes and alveolar macrophages 359

F

Fales, Henry M. See *Haahti and Fales* 131
Farquhar, John W. See *Gross et al.* 114
Ferrell, William J. See *Gilbertson et al.* 38
Fleischer, Becca. See *Fleischer et al.* 170
Fleischer, Sidney, George Rouser, Becca Fleischer, Anna Casu, and **Gene Kritchevsky.** Lipid composition of mitochondria from bovine heart, liver, and kidney 170
Freinkel, Norbert. See *Herrera and Freinkel* 515
Fullington, J. G. Interaction of phospholipid–metal complexes with water-soluble wheat protein 609

G

Gallagher, Anna. See *Hegsted and Gallagher* 210
Garfinkel, Arlene S., Nome Baker, and **Michael C. Schotz.** Relationship of lipoprotein lipase activity to triglyceride uptake in adipose tissue 274
Gaver, R. C. See *Carter and Gaver* 391
Gelman, Rose A. See *Gilbertson et al.* 38
Gidez, Lewis I., Paul S. Roheim, and **Howard A. Eder.** Turnover of cholesteryl esters of plasma lipoproteins in the rat 7
Gilbertson, John R., William J. Ferrell, and **Rose A. Gelman.** Isolation and analysis of free fatty aldehydes from rat, dog, and bovine heart muscle 38
Goldrick, R. B. Effects of insulin on glucose metabolism in isolated human fat cells 581
Goodman, DeWitt S. See *Quarfordt and Goodman* 264
Gornall, D. A. See *Kuksis et al.* 352
Gottfried, Eugene L. Lipids of human leukocytes: relation to cell type 321
Gouaux, June. See *Rosenberg and Gouaux* 80
Grimmer, Gernot. See *Jacob and Grimmer* 308
Gross, Richard C., Edward H. Eigenbrodt, and **John W. Farquhar.** Endogenous triglyceride turnover in liver and plasma of the dog 114

H

Haahti, Eero O. A. and **Henry M. Fales.** The uropygiols: identification of the unsaponifiable constituent of a diester wax from chicken preen glands 131
Hanson, Richard W. See *Ballard and Hanson* 73
——— and **Zigmund Z. Ziporin.** Pyridine nucleotide synthesis by rat adipose tissue in vitro 30
Hartman, L. Comparison of two methods for the separation of polar from nonpolar lipids 285
Hashimoto, Sam. See *Dayton et al.* 508
Haslewood, G. A. D. Bile salt evolution (review) 535
Havel, Richard J., Lars-Göran Ekelund, and **Alf Holmgren.** Kinetic analysis of the oxidation of palmitate-1-^{14}C in man during prolonged heavy muscular exercise 366
Hegsted, D. M., and **Anna Gallagher.** Dietary fat and cholesterol and serum cholesterol in the gerbil 210
Hellman, Leon. See *Rosenfeld et al.* 16
Herrera, Emilio, and **Norbert Freinkel.** Internal standards in the estimation of acetyl CoA in liver extracts 515
Herrera, M. Guillermo. See *Jones et al.* 429
Higgins, Joan A. Forces involved in chylomicron binding by isolated cells of rat liver 636
Hofmann, Alan F. Efficient extraction of bile acid conjugates with tetraheptylammonium chloride, a liquid ion exchanger 55
Hollenberg, C. H. Distribution of radioactive glycerol and fatty acids among adipose tissue triglycerides after administration of glucose-U-^{14}C 328
Holmgren, Alf. See *Havel et al.* 366
Horii, Isoo. See *Kotani et al.* 181
Horrocks, L. A. Composition of myelin from peripheral and central nervous systems of the squirrel monkey 569

J

Jacob, Jürgen, and **Gernot Grimmer.** Occurrence of positional isomers of octadecenoic and hexadecenoic acids in human depot fat 308
Johnson, Philip. See *Wiese et al.* 312
Jones, Albert L., Neil B. Ruderman, and **M. Guillermo Herrera.** Electron microscopic and biochemical study of lipoprotein synthesis in the isolated perfused rat liver 429
Jones, L. L. See *Schmid et al.* 692

K

Kammereck, R., Wen-hui Lee, A. Paliokas, and **G. J. Schroepfer, Jr.** Thin-layer chromatography of sterols on neutral alumina impregnated with silver nitrate 282
Karmen, Arthur. Calibration of flow-through detectors of ^{14}C in gas–liquid chromatographic effluents 61
———. Gas–liquid chromatography of 2-chloroethyl esters using a detector specific for halogens 234
Kennedy, Eugene P. See *Chang and Kennedy* 447, 456
———. See *Schneider and Kennedy* 202
Kerpel, Shmuel. See *Diengott and Kerpel* 58
Kessler, Jacques I., Margaret Demeny, and **Harry Sobotka.** Rates of tissue uptake of palmitic acid-1-^{14}C complexed with albumin by two different procedures 185
Kinsell, Laurance W. See *Wood et al.* 406
Klopfenstein, William E., and **James W. Shigley.** Changes in fatty acid composition of sulfolipid and phospholipids during maturation of alfalfa 350
Komarek, R. J. Device for evaporation of solvent from small samples 287
Kotani, Masahiko, Kanji Seiki, Akira Yamashita, Akiyoshi Takashima, Takehiko Nakagawa, and **Isoo Horii.** Serum and lymph lipids in rabbits with carbon tetrachloride-induced cirrhosis of the liver 181
Krause, R. F. See *Crain et al.* 249
Kritchevsky, Gene. See *Fleischer et al.* 170
Kuksis, A., L. Marai, and **D. A. Gornall.** Direct gas chromatographic examination of total lipid extracts 352
———. See *Breckenridge and Kuksis* 473
Kupiecki, Floyd P. Effects of prostaglandin E_1 on lipolysis and plasma free fatty acids in the fasted rat 577

L

Lapidot, Y., S. Rappoport, and **Y. Wolman.** Use of esters of *N*-hydroxysuccinimide in the synthesis of *N*-acylamino acids 142
Lee, Wen-hui. See *Kammereck et al.* 282
Lee, Yuen-Ling. See *Wood et al.* 406
Lees, Robert S. Immunological evidence for the presence of B protein (apoprotein of β-lipoprotein) in normal and abetalipoproteinemic plasma 396
Lester, Robert L., and **David C. White.** Quantitative gas–liquid chromatographic analysis of ethanolamine, monomethyl ethanolamine, and dimethyl ethanolamine from lipids 565
Levy, Robert S., Ann C. Lynch, Elizabeth D. McGee, and **John W. Mehl.** Amino acid composition of the proteins from chylomicrons and human serum lipoproteins 463
Lin, Don S. See *Conner and Lin* 558
Lipkin, George. See *Wheatley et al.* 84
Lotspeich, F. J. See *Crain et al.* 249
Luther, Andrew C. See *MacKenzie et al.* 589
Lynch, Ann C. See *Levy et al.* 463

M

Mackenzie, Cosmo G., Julia B. Mackenzie, and **Oscar K. Reiss.** Increase in cell lipid and cytoplasmic particles in mammalian cells cultured at reduced pH 642
Mackenzie, Julia B. See *MacKenzie et al.* 642
MacKenzie, Robert D., Thomas R. Blohm, Edward M. Auxier, and **Andrew C. Luther.** Rapid colorimetic micromethod for free fatty acids 589
Mahadevan, V., C. V. Viswanathan, and **F. Phillips.** Conversion of fatty aldehyde dimethyl acetals to the corresponding alk-1-enyl methyl ethers (substituted vinyl ethers) during gas–liquid chromatography 2
Mangold, H. K. See *Schmid et al.* 692
Marai, L. See *Kuksis et al.* 352
Margolis, Simeon. Separation and size determination of human serum lipoproteins by agarose gel filtration 501
Mattson, F. H. See *Damico et al.* 63
McGee, Elizabeth D. See *Levy et al.* 463
Meek, Devon W. See *Deamer et al.* 255
Mehl, John W. See *Levy et al.* 463
Mellors, A., and **A. L. Tappel.** Hydrolysis of phospholipids by a lysosomal enzyme 479
Miyamoto, Kanji, Leo M. Stephanides, and **Joseph Bersohn.** Acetate-1-^{14}C incorporation into polyunsaturated fatty acids of phospholids of developing chick brain 191
Myers, Daphne. See *Wood et al.* 406

N

Nakagawa, Takehiko. See *Kotani et al.* 181
Napier, Edward A., Jr. See *Saladin and Napier* 342
Nelson, Gary J. Composition of neutral lipids from erythrocytes of common mammals 374
Nishida, Toshiro. See *Chung and Nishida* 631
Niv, J. See *Reshef et al.* 682, 688

O

Ontko, Joseph A., and **D. B. Zilversmit.** Metabolism of chylomicrons by the isolated rat liver 90

P

Paliokas, A. See *Kammereck et al.* 282
Parkinson, Thomas M. Hypolipidemic effects of orally administered dextran and cellulose anion exchangers in cockerels and dogs 24
Parsons, John G., and **Stuart Patton.** Two-dimensional thin-layer chromatography of polar lipids from milk and mammary tissue 696
Patton, Stuart. See *Parsons and Patton* 696
Pearce, Morton Lee. See *Dayton et al.* 508
Pereira, Joseph N. The plasma free fatty acid rebound induced by nicotinic acid 239
Phillips, F. See *Mahadevan et al.* 2
Phillips, Gerald B., and **James T. Dodge.** Composition of phospholipids and of phospholipid fatty acids of human plasma 676
———. See *Dodge and Phillips* 667
Pope, J. Lon. Crystallization of sodium taurocholate 146
Pruss, H. D. See *Stoffel and Pruss* 196

Q

Quarfordt, Steven H., and **DeWitt S. Goodman.** Metabolism of doubly-labeled chylomicron cholesteryl esters in the rat 264

R

Radin, Norman S. Spot applicator for thin-layer plates 694
Ramachandran, S. See *Rao et al.* 380
Rao, P. Venkata, S. Ramachandran, and **David G. Cornwell.** Synthesis of fatty aldehydes and their cyclic acetals (new derivatives for the analysis of plasmalogens) 380
Rappoport, S. See *Lapidot et al.* 142
Rapport, Maurice M. See *Cavanna and Rapport* 65
———. See *Colacicco and Rapport* 513
Reiss, Oscar K. See *Mackenzie et al.* 642
Reshef, L., J. Niv, and **B. Shapiro.** Effect of propionate on lipogenesis in adipose tissue 682
———, ———, and ———. Effect of propionate on pyruvate metabolism in adipose tissue 688
Roheim, Paul S. See *Gidez et al.* 7
Rosenberg, Abraham, and **June Gouaux.** Quantitative and compositional changes in monogalactosyl and digalactosyl diglycerides during light-induced formation of chloroplasts in *Euglena gracilis* 80
Rosenfeld, R. S., Barnett Zumoff, and **Leon Hellman.** Conversion of cholesterol injected into man to cholestanol via a 3-ketonic intermediate 16
Roughan, P. G., and **C. G. Tunnicliffe.** Simple devices for the application of samples as narrow streaks for thin-layer chromatography 511
Rouser, George. See *Fleischer et al.* 170
Ruderman, Neil B. See *Jones et al.* 429

S

Saladin, Thomas A., and **Edward A. Napier, Jr.** Properties and metabolism of 2-alkylalkanoates. III: Absorption of methyl and ethyl 2-methylpalmitate 342
Schauenstein, E. Autoxidation of polyunsaturated esters in water: chemical structure and biological activity of the products (review) 417

Schmid, H. H. O., L. L. Jones, and **H. K. Mangold.** Detection and isolation of minor lipid constituents 692
Schneider, Peter B., and **Eugene P. Kennedy.** Sphingomyelinase in normal human spleens and in spleens from subjects with Niemann-Pick disease 202
Schotz, Michael C. See *Baker and Schotz* 646
———. See *Garfinkel et al.* 274
Schroepfer, G. J., Jr. See *Kammereck et al.* 282
Schulman, Jack H. See *Shah and Schulman* 215, 227
Schwartz, D. P., C. R. Brewington, and **L. H. Burgwald.** Rapid quantitative procedure for removing cholesterol from butter fat 54
Seiki, Kanji. See *Kotani et al.* 181
Shah, Dinesh O., and **Jack H. Schulman.** Influence of calcium, cholesterol, and unsaturation on lecithin monolayers 215
——— and ———. The ionic structure of lecithin monolayers 227
Shapiro, B. See *Reshef et al.* 682, 688
Shigley, James W. See *Klopfenstein and Shigley* 350
Shioda, Ryuzo. See *Wood et al.* 406
Siperstein, Marvin D. See *Dietschy and Siperstein* 97
Skipski, Vladimir P., Anson F. Smolowe, and **Marion Barclay.** Separation of neutral glycosphingolipids and sulfatides by thin-layer chromatography 295
Small, Donald M. Phase equilibria and structure of dry and hydrated egg lecithin 551
Smolowe, Anson F. See *Skipski et al.* 295
Snyder, Fred. See *Wood and Snyder* 494
Sobotka, Harry. See *Kessler et al.* 185
Spitzer, Hugh L. See *Balint et al.* 486
Steinberg, Daniel. See *Baxter and Steinberg* 615
Stephanides, Leo M. See *Miyamoto et al.* 191
Stoffel, W., and **H. D. Pruss.** Synthesis of eicosa-2-*trans*-8,11,14-all *cis*-tetraenoic acid-3-^{14}C and DL-3-hydroxy eicosa-8,11,14-all *cis*-trienoic acid-3-^{14}C 196
Sulya, Louis L. See *White et al.* 158
Suzuki, Kunihiko, and **Gloria C. Chen.** Brain ceramide hexosides in Tay-Sachs disease and generalized gangliosidosis (G_{M1}-gangliosidosis) 105
Svoboda, James A., and **Malcolm J. Thompson.** Separation of 24- and 25-dehydrocholesterols; and the impure state of commercial desmosterol preparations 152
Sweeley, Charles C. See *Vance and Sweeley* 621

T

Takashima, Akiyoshi. See *Kotani et al.* 181
Tappel, A. L. See *Mellors and Tappel* 479
Thompson, Malcolm J. See *Svoboda and Thompson* 152
Trams, Eberhard G. Thin-layer chromatography of hydroxamic acids 698
Treble, Donald H. See *Balint et al.* 486
Trevelyan, William E. Removal of the sphingolipid impurity from preparations of yeast phosphatidyl inositol 281
Tunnicliffe, C. G. See *Roughan and Tunnicliffe* 511

V

Vance, Dennis E., and **Charles C. Sweeley.** Quantitative determination of the neutral glycosyl ceramides in human blood 621
Viswanathan, C. V. See *Mahadevan et al.* 2
Vogel, William C., and **Edwin L. Bierman.** Post-heparin serum lecithinase in man and its positional specificity 46
Vroman, Hugh E., and **Charles F. Cohen.** Separation of sterol acetates by column and thin-layer argentation chromatography 150

W

Ways, P. O. Degradation of glycerophosphatides during storage of saline-washed, saline-suspended red cells at −20°C 518
Wheatley, Victor R., George Lipkin, and **Tae Ha Woo.** Lipogenesis from amino acids in perfused isolated dog skin 84
White, David C. See *Lester and White* 565
White, Harold B., Jr., Louis L. Sulya, and **C. Eugene Cain.** Application of the Rosenmund reaction to the synthesis of saturated fatty aldehydes 158
Wiese, Hilda F., Edmund Coon, William Yamanaka, Shirley Barber, and **Philip Johnson.** Lipid composition of the vascular system during infancy, childhood, and young adulthood 312
Wolman, Y. See *Lapidot et al.* 142
Woo, Tae Ha. See *Wheatley et al.* 84
Wood, Peter D. S., Daphne Myers, Yuen-Ling Lee, Ryuzo Shioda, and **Laurance W. Kinsell.** 1,2-^{3}H-Cholesterol as a tracer in studies of human cholesterol metabolism 406
Wood, Randall, and **Fred Snyder.** Characterization and identification of glyceryl ether diesters present in tumor cells 494

Y

Yamanaka, William. See *Wiese et al.* 312
Yamashita, Akira. See *Kotani et al.* 181

Z

Zilversmit, D. B. See *Ontko and Zilversmit* 90
Ziporin, Zigmund Z. See *Hanson and Ziporin* 30
Zumoff, Barnett. See *Rosenfeld et al.* 16

SUBJECT INDEX

VOLUME 8 NUMBERS 1-6

A

Abetalipoproteinemia: Presence of B protein in 396
Absorption
Of chlorophyll 615
Of phytol, pheophytin-bound 615
Of retinoic acid 249
Acetals, cyclic
Preparation from aldehydes 380
Stability of, for GLC analysis 380
Acetonides
GLC of 131
IR spectra of 131
Mass spectra of 131
Of 2,3-*n*-alkanediols 131
Acetyl CoA
Determination of (citrate synthase reaction), internal standard for 515
In liver, effect of fasting on levels of 515
Acetyl-β-lipoprotein: Immunologic characteristics of 396
Actinomycin D
Effect on adipose tissue lipase activity 274
Effect on glyceride-glycerol and fatty acid synthesis 688
Effect on propionate enhancement of lipogenesis 682
Acylamino acids: Synthesis of 142
Acyl-sarcosyl taurates: Detergent action compared to that of bile salts 598
Adipose tissue
Adaptation of lipogenesis mechanisms to presence of propionate 682
Biosynthesis of fatty acids and triglycerides in 328
Fatty acid composition of newly formed triglycerides in 328
Human, biopsy needle for samples of 58
Isomers of hexa- and octadecenoic acids in 308
Linoleic acid in, as indicator for adherence to unsaturated fat diet 508
Lipogenesis in, effect of propionate on 682
Lipolysis and glucose utilization in, separation of 300
Lipoprotein lipase in and triglyceride uptake by 274
Metabolism of propionate and pyruvate in 688
Plasma lipid contribution of fatty acids to 328
Pyruvate carboxylase in, intracellular distribution of 73
Synthesis of NAD and NADP by 30
Triglyceride uptake by and lipoprotein lipase in 274
Adolescents: Coronary vessels of, lipid composition of 312
Adrenergic blocking agents: Effects on lipolysis induced by epinephrine, corticotropin, thyrotropin 300
Agarose: For gel filtration of serum lipoproteins 501
Aggregation: Of lipoproteins, detected by gel filtration 501
Albumin: Binding sites for fatty acids 185
Aldehydes: Saturated fatty, preparation from acid chlorides 158
Aldehydes, fatty: *see* **Fatty aldehydes**
Alkaline earths: Interaction with stearic acid monolayers 255
2,3-*n*-Alkanediols
Acetonides of, spectra 131
From chicken preen gland waxes, identification of 131
GLC of 131
Mass spectrometry of 131
Alk-1-enyl diglycerides
In bovine heart 692
Isolation of, by TLC 692
Alk-1-enyl methyl ethers
Formation during GLC of fatty aldehydes 2
Low-temperature hydrolysis of, to aldehydes 2
Alkyl diglycerides: In bovine heart 692
Amphibians: Bile salts in (review) 535
Amylopectin sulfate: Precipitation of lipoproteins by, compared to ultracentrifugation 463
Anion exchangers: Hypolipidemic effect of, and bile acid binding 24
Anti-low density lipoproteins: 631
Antisera: To native and modified β-lipoprotein, cross-reactivity 396
Aorta: Lipids of, in infants and adolescents 312
Apoprotein: Of β-lipoprotein in human plasma 396
Applicator: For TLC, simple construction of 511
Autoxidation
In analysis of red cell lipids 667
Of polyunsaturated compounds, in aqueous emulsion (review) 417
Azo-β-lipoprotein: Immunologic characteristics of 396

B

Bile acids
Binding of, to dietary anion exchangers, and hypocholesterolemic effect of latter 24
Enterohepatic circulation of, interruption by dietary anion exchangers 24
Extraction of conjugates of, by liquid ion exchanger 55
In feces, after anion exchangers in diet 24
In various species (review) 535
Bile alcohols: In various species (review) 535
Bile salt: Micelles of, partition of lipids between oil and 598
Biopsy needle: For obtaining large samples of human adipose tissue 58
Biosynthesis
Of cholestanol, from cholesterol in man 16
Of cholesteryl esters; in adrenals 7
in subcellular fractions of liver 7
Of lecithin by lung in fetal and newborn lamb 335
Of lipids, in dog skin 84
Of NAD coenzymes, in adipose tissue 30
Of polyunsaturated fatty acids, in chick embryo brain 191
Of retinoic acid, in intestinal mucosa 249
Of triglyceride, by adipose tissue 328
Birds: Bile salts in (review) 535

Bovine
Heart muscle, free fatty aldehydes in 38
Retinae, extraction of lipid from 245
Brain: Bovine, improved preparation of proteolipid from 65

C

Calcium: In lipid–protein complex formation 609
Cancer: Possible effect of linoleate oxidation products on (review) 417
Carbon tetrachloride: *see* **Fatty liver:** CCl_4-induced
Carbon-14: Detectors for (GLC), calibration of 61
Cardiolipin
In mitochondria 170
In yeast 281
β-Carotene: Conversion to retinoic acid by intestinal mucosa 249
CDP-choline: Pools of, in liver 486
Cells: Cultured, lipid-rich particles in 642
Ceramide hexosides: Composition and carbohydrate sequence in gangliosidoses 105
Ceramides: *see* **Glycosyl ceramides**
Cerebroside: In plasma and erythrocytes 621
Chick: Brain of embryo, biosynthesis of fatty acids in 191
Children: Coronary vessels of, lipid composition of 312
Chloroethyl derivatives: GLC of 234
Chlorophyll: Absorption of, in rat 615
Chloroplasts: Development of, and accumulation of galactosyl diglycerides 80
Cholestanol: Biosynthesis from cholesterol in man via a ketosteroid 16
Cholesterol
Biosynthesis of, in fetal guinea pig 558
Conversion to cholestanol in man via a ketosteroid 16
Dietary, effect on serum level in fetus 558
Effect on conversion of linoleate to arachidonate (possible) 126
Fetal, origin of, in guinea pig and rabbit 558
In butter fat, removal of 54
In leukocytes 321
Isotopic steady state with, in pregnant guinea pig 558
Removal of, from butter fat by adsorption on digitonin-impregnated column 54
Serum, level of, in maternal and fetal guinea pig and rabbit 558
Solubility of, in bile salt micelles 598
Transfer of; across placenta 558
between serum and tissues in fetus 558
Tritium-labeled (1,2-), identical metabolism with cholesterol-4-^{14}C 406
Cholesterol-esterifying enzyme: *see* **Lecithin:cholesterol acyltransferase**
Cholesterol-3-^{3}H,4-^{14}C
Metabolism of 16
Purity of 16
Cholesterol:phospholipid ratio: In erythrocytes of common mammals 374
Cholesteryl esters
Biosynthesis of; in adrenals 7
in subcellular fractions of liver 7
Degree of unsaturation, effect on turnover in rat 7
Doubly-labeled, in chylomicrons, metabolism of 264
Fatty acid composition of, in rat plasma before and after incubation 126
Formation of, during ultracentrifugation of plasma 7
Hydrolysis of, by liver, compared to triglycerides 264
Of aorta (human), content with growth and development 312
Reesterification after hydrolysis, in different rat tissues 264
Solubility of, in bile salt micelles 598
Turnover in rat plasma lipoproteins determined by degree of unsaturation 7
Choline glycerophosphatides
Enzymic hydrolysis of, by lysosomes 479
Fatty acids of; in human plasma 676
in human red cells 667
GLC of, accompanied by pyrolysis 352
Chromatography, argentation
Of dehydrocholesterols (24- and 25-) 152
Of sterol acetates (column and thin-layer) 150
Of sterols on alumina 282
Chromatography, column
Alumina, phosphatidyl inositol behavior on 281
Glycosyl ceramides, isolation by 621
Of dehydrocholesterol (24- and 25-), $AgNO_3$ 152
Of metabolites of β-carotene 249
Of sterol acetates 150
Separation of free fatty aldehydes from natural lipids by 38
Chromatography, gas–liquid
Detectors (flow-through) for ^{14}C in, calibration of 61
Halogen-sensitive flame detector for 234
Of acetonides of glycols 131
Of alkanediols 131
Of anhydro-C_{18}-dehydrophytosphingosine 391
Of anhydro-C_{18}-phytosphingosine 391
Of branched-chain esters (2-methylpalmitates) 342
Of chloroethyl derivatives, with dual-flame detector 234
Of cyclic acetals (derived from aldehydes) 380
Of dehydrophytosphingosine 391
Of dimethyl acetals of naturally occurring free fatty aldehydes 38
Of dimethyl acetals, with decomposition 2
Of ethanolamine and di- and mono-derivatives 565
Of fatty aldehydes 2
Of glyceryl ether diesters 494
Of glycols, long-chain 131
Of lecithins at high temperatures 352
Of linolealdehyde and its dimethyl acetal 2
Of methyl and ethyl esters of 2-methylpalmitate 342
Of palmitaldehyde and its dimethyl acetal 2
Of sphingolipid bases (C_{18}- and C_{20}-, dihydro-, and phytosphingosine) 391
Of total lipid extracts 352
Of uropygiols 131
Temperature programmed, to 325°C 352
Chromatography, ion-exchange: Of phosphatidyl inositol 513
Chromatography, partition: Reversed-phase, TLC, of rat liver lecithins 155
Chromatography, thick-layer: For isolation of neutral lipids 692
Chromatography, thin-layer
Applicator for 511, 694
Argentation, of triglyceride species of rat adipose tissue 328
Isotope effect on, for ^{3}H- and ^{14}C-cholesterol 406
Of ceramide mono-, di-, and trihexosides 295
Of ceramide *N*-acetylhexosamine trihexoside 295
Of cerebrosides 295
Of dehydrocholesterol (24- and 25-), $AgNO_3$ 152
Of fatty acyl hydroxamates 698

Of free fatty aldehydes in muscle lipids 38
Of glyceryl ether diesters 494
Of glycolipids 295
Of lecithin subfractions from rat liver 155
Of lipoamino acids 142
Of milk phospholipids 696
Of neutral minor lipid classes 692
Of phospholipids; efficient elution after 409
of milk and mammary tissue 696
Of plasmalogens, successful in presence of acid 321
Of psychosine 295
Of sterol acetates 150
Of sterols on alumina–$AgNO_3$ 282
Of sulfatides 295
On silica gel–magnesium silicate 295
Reversed-phase partition, of rat liver lecithins 155
Two-dimensional, of milk phospholipids 696
Chylomicrons
Cholesteryl esters of, metabolism of in rat 264
Oxidation of fatty acids from, by liver 90
Protein composition of 463
Removal of, by rat liver, direct 90
Triglycerides of, conversion to free fatty acids and phospholipids by liver 90
Uptake by isolated liver cells 636
Cirrhosis: CCl_4-induced, increased lymph flow in 181
Cockerel
Serum cholesterol, lowered by anion exchangers 24
Serum lipids, lowered by anion exchangers 24
Coenzyme A: In mitochondrial lipids 170
Coenzymes: Biosynthesis of, in adipose tissue 30
Compartmental analysis: Of palmitate-^{14}C metabolism during exercise 366
Complex: Of lipoprotein and antilipoprotein, soluble 631
Complex formation: Between carboxylate and metal ions in monolayers 255
Complexes
Between phospholipid and retinaldehyde, possibly present in retina lipid extracts 245
Of protein, phospholipid, and metal ions 609
Corticosterone: Of plasma, effect of nicotinic acid (i.v.) on 239
Corticotropin: Lipolytic vs. glucose oxidation effects 300
Countercurrent extraction: For separation of polar and nonpolar lipids, compared with dialysis 285
Cow: Erythrocyte lipid composition of 374
Cyclic acetals: *see* **Acetals, cyclic**

D

DEAE Sephadex: Hypolipidemic effect of, and bile acid binding 24
Dehydrocholesterol: Separation of 24- and 25- isomers by chromatography 152
Delipidation: Of lipoproteins before protein composition measurement 463
Desmosterol: *see* **Dehydrocholesterol**
Detectors, flow-through: Of ^{14}C and ^{3}H (GLC), calibration of 61
Detergents: Compared to bile salts, for solubilization of monoolein and cholesterol 598
Dialysis (through rubber): For separation of polar and nonpolar lipids, compared with countercurrent extraction 285
Dicarboxylic acids: Chloroethyl derivatives of 234
Dicetyl phosphate: Monolayers of 215, 227
Diester waxes: From chicken preen gland 131
Diet
Effect of various fats and cholesterol in, on gerbil serum cholesterol 210
Fat-free and cholesterol-containing, effect on plasma cholesterol-esterifying enzyme 126
Dietary changes: Effect on pyruvate carboxylase activity in adipose tissue 73
Diethyl ethanolamine: GLC of 565
Digitonin: Impregnation of column for removal of small amounts of cholesterol from natural mixtures 54
Diglycerides: In subcellular lipid-rich particles 642
Dimethyl acetals
Conversion to alk-1-enyl methyl ethers on GLC columns 2
GLC of, instability during 2
Instability on GLC columns 2
Of naturally occurring free fatty aldehydes 38
Separation from fatty aldehydes on GLC 2
Divalent ions: Effect on binding of chylomicrons by liver cells 636
Docosahexaenoic acid: Poor incorporation of acetate into, in chick embryo brain 191
Dog
Erythrocyte lipid composition of 374
Heart muscle, free fatty aldehydes in 38
Nicotinic acid-induced FFA rebound in 239
Serum cholesterol, lowered by anion exchangers 24
Serum lipids, lowered by anion exchangers 24
Skin, perfusion of, determination of cutaneous lipogenesis by 84

E

Ehrlich ascites tumor cells: Devitalization of, by unsaturated hydroxyaldehydes (review) 417
2-*trans*-Eicosa-8,11,14-all *cis*-tetraenoic acid: Synthesis of 196
Emulsions: Formation of, sonication vs. mixing by hand 598
Enzyme inhibition: By oxidation products of linoleate (review) 417
Enzymes
Cholesterol-esterifying, effect of sex, age, and diet on 126
In particulate fraction, solubilization by Triton plus EDTA 456
Solubilization with Triton X-100 and purification 447
Epinephrine: Lipolytic vs. glucose oxidation effects 300
Erythrocytes
Glycosyl ceramides in 621
Neutral lipids of, negligible 374
Of cow, dog, goat, horse, pig, rabbit, rat, sheep, lipid composition of 374
Phospholipid composition of (man) 667
Storage of, degradation of phospholipids during 518
Ethanolamine: GLC of (quantitative) 565
Ethanolamine glycerophosphatides
Enzymic hydrolysis of, by lysosomes 479
Ethanolamine from, GLC of 565
Fatty acids of; in human plasma 676
in human red cells 667
Ethionine: Effect on propionate enhancement of lipogenesis 682
Ethyl ester: Absorption and transport of 342
Euglena gracilis: Galactosyl diglycerides of, changes in during greening 80

Evaporation: Of small samples, manifold device for 287
Evolution: Bile acids, salts, and alcohols in (review) 535

F

Fasting–refeeding: Effect on NAD coenzyme biosynthesis in adipose tissue 30
Fat: Metabolism of, during heavy exercise 366
Fat cells: Isolated, human and rat, effect of insulin on 581
Fatty acid composition
Of aortic lipids in infants and children 312
Of lymph and serum lipids of rabbit 181
Of rat plasma cholesteryl esters 126
Of 10 triglyceride species in rat adipose tissue 328
Fatty acid–albumin complexes: Metabolism of, dependent on mode of preparation 185
Fatty acids
Biosynthesis of, in chick embryo brain 191
Branched, in adipose tissue 308
Chloroethyl derivatives of mono- and dicarboxylic acids, GLC of 234
Compartments of, in adipose tissue 328
Composition of; in phospholipids of human plasma 676
in phospholipids of human red cells 667
ω3 and ω6, Different biosynthetic regulation of 191
Distribution in triglyceride positions 167
Monoenoic; distribution of, in lipids of various species 661
isomers of, in adipose tissue 308
Monolayers of stearic acid, effect of metal ions on 255
Of chylomicron triglycerides, oxidation of 90
Of galactosyl diglycerides during greening of *Euglena gracilis* 80
pKa of, in monolayers 255
Solubility of, in bile salt micelles 598
"Titration" curves in monolayers 255
Uptake of, by rat epididymal fat pad 185
Fatty aldehydes
Composition of, in phospholipids of human red cells 667
Preparation from acid chlorides, alkenes, and ozonides 380
Separation from dimethyl acetals on GLC 2
Fatty liver
CCl_4-induced; increased hepatic permeability in (rabbits, long-term) 181
serum and lymph lipids in (rabbit) 181
Fetus: Lung, increasing biosynthesis of lecithin with maturation 335
Fishes: Bile salts in (review) 535
Free fatty acid: Turnover and oxidation rate during exercise 366
Free fatty acids
Disappearance from rat plasma 646
GLC of, without methylation 352
Microdetermination (colorimetric with uranyl ion) 589
Of plasma; effect of prostaglandin E_1 on 577
rebound effect of nicotinic acid on 239
Recycling of 646
Turnover of plasma 646
Free fatty aldehydes
Composition of, in heart muscle lipids 38
Determination by TLC and *p*-nitrophenylhydrazones 38
Of heart muscle 38
TLC of 38

G

Galactocerebrosides: In proteolipid of bovine brain 65
Galactosyl diglycerides: Mono- and di-, during greening of *Euglena gracilis* 80
Ganglioside: As source of abnormal ceramide hexosides in gangliosidoses 105
Gangliosidosis
Classification into G_{M1} and G_{M2} 105
Generalized, ceramide hexosides in 105
Gas–liquid chromatography: *see* **Chromatography, gas–liquid**
Gel filtration: Of serum lipoproteins on agarose 501
Gerbil: Serum cholesterol of, effect of dietary fats on 210
Globoside: In plasma and erythrocytes 621
Glucose: Metabolism of, in isolated human fat cells 581
Glucose feeding: Effect on adipose tissue lipase activity 274
Glucose oxidation: Effect of three lipolytic hormones on 300
Glyceride-glycerol
Incorporation of CO_2 into, effect of propionate on 688
Incorporation of pyruvate into, effect of propionate on 688
Glycerides: Micelles of, with bile salt, solution of cholesterol in 598
Glycerol: Radioactive, for labeling of low density lipoproteins 114
Glycerol 1,3-dihexadecyl ether: Synthesis of, from benzylidene glycerol 63
Glycerol ethers: Synthesis of (saturated) 63
L-Glycerol 3-phosphate:CMP phosphatidyl transferase: Isolation of, from *E. coli* 447
Glycerophosphatides: Of chick embryo brain, biosynthesis of fatty acids of 191
Glyceryl ether diesters
GLC of 494
In tumor lipids, identification of 494
IR spectra of 494
NMR spectra of 494
TLC of 494
Glyceryl monoethers: Diacyl, in tumor lipids 494
Glycolysis: Inhibition of, by oxidation products of linoleate (review) 417
Glycosyl ceramides
Determination of, in 50 ml of plasma 621
GLC of 621
In erythrocytes 621
In plasma 621
Goat: Erythrocyte lipid composition of 374
Gray matter: Ceramide hexosides of (abnormal), in gangliosidoses 105
Glucocerebroside: Replacing normal brain cerebroside in gangliosidosis 105

H

Heart muscle: Free fatty aldehydes in 38
Hen: Uropygial gland of, excretion from 131
Hexadecenoic acids: Positional isomers of, in adipose tissue 308
Horse: Erythrocyte lipid composition of 374
Hydrolysis
Of alk-1-enyl methyl ethers, low-temperature 2
Of substituted vinyl ethers, low-temperature 2
Hydroxamates: Of fatty acids, TLC of 698
DL-3-Hydroxy eicosa-8,11,14-trienoic acid: Synthesis of 196

4-Hydroxyoct-2-en-1-al: Effect on tumor cells (review) 417
Hydroxysuccinimide esters: For synthesis of *N*-acylamino acids 142
Hypercholesterolemia: In gerbil, induced by cholesterol-free diet 210
Hypocholesterolemic effect: Of anion exchangers 24

I

Immunoprecipitates: Of low density lipoprotiens, solubilization by alkali 631
Infants: Coronary vessels of, lipid composition of 312
Inflammation: Contribution of lysosomal enzymes to 479
Insulin: Effect on glucose metabolism in isolated fat cells of man and rat 581
Intestinal mucosa: Enzymes in, for transformation of β-carotene and retinal 249
Invertebrates: Bile salts in (review) 535
Ion exchanger, liquid: Use of tetraheptylammonium chloride for extraction of bile acids 55
IR spectra: Of carboxyl group and carboxylate ion 255
IR spectrometry: Analysis of serum and lymph lipids by (in rabbit) 181

K

Ketogenesis: In rat liver, from chylomicrons 90
Ketosteroid: Intermediate suspected in cholesterol–cholestanol conversion in man 16
Kinetic models: For triglyceride metabolism in dog 114

L

Lactation: Effect of, on serum lipoproteins 138
Lecithin
Biosynthesis of, role of saturated and unsaturated fatty acids in 486
Monolayers of, *see* **Monolayers:** Of lecithins
Phase diagram of, with water 551
Structure of, dry and hydrated (egg) 551
see also **Phosphatidyl choline**
Lecithinase: In post-heparin serum 46
Lecithin:cholesterol acyltransferase
Activity of, during ultracentrifugation 7
Effects of sex, age, and diet on, in rats 126
Lecithins
Of bile, biosynthesis of 486
Of liver, rates of synthesis of 486
Leukemia: Leukocytes in, lipids of 321
Leukocytes, polymorphonuclear
Lipid composition of, with maturation 321
Separation of, from lymphocytes and erythrocytes 321
Linoleate: Autoxidation of (review) 417
Linoleic acid
Of adipose tissue, as indicator of dietary fat 508
Possible precursors of, in human adipose tissue 308
Lipid: Of retinal rods, composition of 245
Lipid antigens: Isolation of proteolipid for study of 65
Lipid peroxides: From oxidation of linoleate (review) 417
Lipid storage diseases: Different types of sphingomyelin storage in man 202
Lipidosis: Systemic late infantile, ceramide hexosides in 105
Lipid–protein complexes: 609
Lipid–protein interaction: Effect on proteolipid isolation 65
Lipids
Biosynthesis of, in dog skin 84
GLC of, without preliminary separation or saponification 352
Lymph and serum, composition of after CCl_4 treatment 181
Of arteries, in infants and adolescents 312
Of mitochondria from three organs, composition of 170
Of serum, lowering of, by anion exchangers 24
Lipoamino acids: Synthesis of the *N*-acylamino acids 142
Lipogenesis
From acetate and propionate in rat 682
In dog skin, studied by perfusion 84
Role of pyruvate carboxylase in 73
Lipolysis
Effect of prostaglandin E_1 on, in rat 577
In rat liver, of chylomicron triglycerides 90
Lipolytic hormones: Comparison of (epinephrine, corticotropin, thyrotropin) 300
β-Lipoprotein: Apoprotein of, possible presence of in plasma 396
Lipoprotein lipase: Correlation with triglyceride uptake by adipose tissue 274
Lipoproteins
Effect of puromycin on synthesis of 429
Low density, antibody complexes with, dissociation by alkali 631
Site of synthesis of, in liver 429
Synthesis of, electron microscopic detection of 429
Very low density, detected by electron microscopy in liver 429
Lipoproteins, plasma
Cholesteryl esters in, turnover of 7
Turnover of triglycerides of 114
Ultracentrifugation of, artifactual formation of cholesteryl esters during 7
Lipoproteins, serum
Aggregation of, evidence for by gel filtration 501
Delipidation of; effect on molecular size 501
(partial), properties after 138
Gel filtration of, on agarose 501
Heat denaturation of, effect on molecular size 501
Low density, as carriers for methyl esters 342
Protein compositions of 463
Proteolysis of, effect on molecular size 501
Very low density; connection with milk production 138
in pregnant and puerperal rats 138
uptake of triglycerides from 274
Liquid crystals: Of lecithin in water 551
Liver
Acetyl CoA in, improved assay for 515
Lecithins of (rat), subfractionation by reversed-phase TLC 155
Perfused with fatty acid–albumin, lipoprotein formation in 429
Perfusion of, with labeled chylomicrons 90
Permeability of, in cirrhosis 181
Slices, oxidation of chylomicrons by 90
Subcellular fractions of, biosynthesis of cholesteryl esters in 7
Triglycerides of, turnover in dog 114
Uptake of cholesteryl esters (doubly-labeled) by 264
Liver cells: Binding of chylomicrons by isolated, effect of pH, temperature, and phospholipids 636

Long-chain bases: GLC of 391
Lung: Synthesis of saturated lecithins by, in vitro 335
Lymph
Flow of, increased in cirrhotic rabbits 181
Lipids of, same fatty acids as serum lipids after CCl_4 treatment 181
Lymphocytes: Lipid composition of, normal 321
Lysolecithin
Ezymic hydrolysis of, by lysosomes 479
Positional isomers of, enzymic hydrolysis of 479
Lysophosphatidyl choline: Acylation and deacylation of, by phagocytic cells 359
Lysophosphatidyl ethanolamine: Acylation and deacylation of, by phagocytic cells 359
Lysosomes: Phospholipid-hydrolyzing enzyme(s) from 479

M

Macrophages (alveolar): Acylation and deacylation of lysophosphatides by 359
Magnesium: In lipid–protein complex formation 609
Malonate: Effect on lipogenesis from acetate and propionate 682
Mammals
Bile salts in (review) 535
Monoenoic acid isomers in lipids of, distribution of 661
Mammary tissue: Phospholipids of, TLC of 696
Man
Adipose tissue; biopsy needle for samples of 58
isomers of hexa- and octadecenoic acids in 308
Aorta lipids with development of infant 312
Cholesterol–cholestanol conversion in vivo 16
Coronary vessels, comparative lipid composition of 312
Plasma of, presence of B protein in 396
Serum, post-heparin lecithinase in 46
Spleen, sphingomyelinase in 202
Mass spectrometry
Of acetonides 131
Of alkanediols 131
Of uropygiols 131
Membranes: Lipid composition of erythrocyte 374
Metabolism
Of β-carotene, retinal, and retinoic acid 249
Of palmitic acid complexed to albumin 185
Methyl esters
Absorption and transport of 342
Occurrence of, in tissues, questioned 342
Transport of, in low density lipoproteins 342
2-Methylpalmitate: Methyl and ethyl esters of, evidence for absorption of 342
Micelles: Of palmitate, reaction with albumin 185
Milk: Phospholipids of, TLC of 696
Mitochondria
Lipid composition of, after vigorous purification 170
Of heart, liver, and kidney, lipid composition of 170
Monoenoic fatty acids: Positional distribution of isomers of, in triglycerides and phospholipids 661
Monolayers
Liquefaction and solidification factors 215
Mixed (phospholipid–cholesterol), binding of calcium by 215
Molecular "cavities" in 215
Of dicetyl phosphate and trimethylammonium bromide 227
Of dicetyl phosphate–cholesterol 215
Of lecithin (dipalmitoyl, egg)–cholesterol 215
Of lecithins; calcium binding of 227
effect of cholesterol on calcium binding by 227
effect of unsaturation on 227
internal salt linkage in 227
ionic structure of 227
surface potential vs. pH and log salt concn 227
Of palmitic acid, reaction with albumin 185
Of phosphatidic acid–cholesterol 215
Of stearic acid, effect of alkaline earth metal ions on 255
Surface pressure/area and surface potential/area curves of mixed 215
Monomethyl ethanolamine: GLC of 565
Monophosphoinositide: From soybean phosphatides 513
Multicompartmental analysis: Of free fatty acid turnover 646
Muscle: Free fatty aldehydes in 38
Myelin
Electron micrographs of purified 569
From central and peripheral nervous systems, composition differences of 569

N

NAD, NADP
Biosynthesis of, in adipose tissue 30
Incorporation of glucose, nicotinamide, $^{32}P_i$, ribose into, by adipose tissue 30
Neutral plasmalogens
Distinction from glyceryl ether diesters by TLC 494
see also **Alk-1-enyl diglycerides**
Nickel: In lipid–protein complex formation 609
Nicotinamide: Incorporation of, into coenzymes, in adipose tissue 30
Nicotinic acid
Effect on lipogenesis and coenzyme biosynthesis in adipose tissue 30
Effect on plasma corticosterone 239
Metabolites of, not able to induce plasma FFA rebound 239
Plasma FFA rebound after; effects of adrenalectomy, hypophysectomy, thyroidectomy, reserpinization on 239
mediated by adrenal and pituitary 239
Niemann-Pick disease: Deficiency of sphingomyelinase in 202

O

Octadecenoic acids: Positional isomers of, in adipose tissue 308
Oleic acid: Dissociation of, in bile salt micelles 598
Oleoyl chloride: Action of H_2–Pd on 158
Ox
Brain, proteolipid from 65
see also **Bovine**
Oxaloacetate: Replenishment of, in adipose tissue, pathway for 73
Oxidative cleavage: Of monoenoic acids in adipose tissue 308
Oxidative phosphorylation: Uncoupling of, by lysosomes 479

P

Palmitate: Oxidation of, to CO_2, in fasted rat, quantitative determination of 646

Partition: Of lipids between bile salt micelles and triglyceride 598
Perfusion: Of liver, with chylomicrons 90
pH: Effect of lipid content of cultured cells 642
Phase diagrams: Of egg lecithin–water 551
Pheophytin *a*
Absorption of, in rat 615
TLC of 615
Uniformly labeled, preparation of 615
Phosphatases: Of *E. coli* 456
Phosphatidyl choline
Fatty acids of, release by post-heparin lecithinase 46
α'-Hydrolase for, in post-heparin serum 46
Of cabbage, action of post-heparin lecithinase on 46
Of egg, action of post-heparin lecithinase on 46
Phosphatidyl ethanolamine: Biosynthesis of, in rat 486
Phosphatidyl glycerol
Enzymatic formation of 456
Intermediate in biosynthesis of 447
Phosphatidyl glycerophosphate
Enzymatic dephosphorylation to phosphatidyl glycerol 456
Synthesis of, by enzyme from *E. coli* 447
Phosphatidyl glycerophosphate phosphatase: From *E. coli* 456
Phosphatidyl inositol
Isolation from soybean phosphatides 513
Removal of sphingolipid from 281
Phosphatidyl phenol: In stereospecific analysis of triglycerides 167
Phosphatidyl serine: Complexes with metal ions and proteins 609
Phospholipase: *see* **Lecithinase**
Phospholipid-protein interaction: 609
Phospholipids
Composition of; in human plasma 676
in human red cells 667
in leukocytes 321
in mitochondria 170
Degradation of, in stored red cells 518
Distribution of isomers of monoenoic fatty acids in 661
Fatty acid and aldehyde composition of, in human red cells 667
Fatty acid composition of, in human plasma 676
Metabolism of, in phagocytic cells 359
Monolayers of 215, 227
Of chylomicrons, role in binding by liver cells 636
Of retinal rods, composition of 245
Separation from other lipids, comparison of two methods 285
TLC of, efficient elution after 409
Photosynthesis: Of galactosyl diglycerides 80
Phytol
Absorption of, in pheophytin *a* 615
Bound and free, in cooked and uncooked spinach 615
Bound (in chlorophyll), absorption of, in rat 615
Phytosphingosine: GLC of anhydro derivatives 391
Pig: Erythrocyte lipid composition of 374
pKa: Of oleic acid, in bile salt micelles 598
Plasma
Cholesterol-esterifying enzyme in, effects of sex, age, and diet on 126
Glycosyl ceramides in 621
Phospholipids of, composition of 676
Storage of, preservation of lipid composition during 518
Plasma clearance
Of chylomicron cholesteryl esters 264
Of palmitic acid, from two kinds of albumin complex 185
Plasmalogens
Aldehyde moiety of, conversion to cyclic acetals for GLC 380
In leukocytes 321
Polyenoic acids
3-Hydroxy, synthesis of (labeled) 196
2-*trans*, Synthesis of (labeled) 196
Polymorphonuclear leukocytes: Acylation and deacylation of lysophosphatides by 359
Polyunsaturated fatty acids: Oxidation of, in aqueous dispersion (review) 417
Portal circulation: Retinoic acid in 249
Post-heparin serum: *see* **Serum, post-heparin**
Pregnancy: Effect of, on serum lipoproteins 138
Propionate
Effect on lipogenesis (enhancement) 682
Effect on pyruvate metabolism in rat adipose tissue 688
Prostaglandin E_1: Effect on lipolysis in fed and fasted rat 577
Proteins
Amino acid "profile" of (logarithmic plot) 463
Of chylomicrons, amino acid composition of 463
Of lipoproteins, amino acid composition of 463
Proteolipid: Of myelins, composition of 569
Puromycin: Effect on appearance of hepatic lipoprotein synthesis 429
Pyruvate: Requirements for synthesis of glyceride-glycerol 688
Pyruvate carboxylase: Of adipose tissue, in mitochondria and supernate 73

R

Rabbit
Cirrhosis, serum and lymph lipids in 181
Erythrocyte lipid composition of 374
Fatty liver, CCl_4-induced (long-term) 181
Liver, phospholipids of, composition by TLC 409
Phagocytic cells of, metabolism of lysophosphatides by 359
Plasma, phospholipids of, composition by TLC 409
Radiochemical purity: Of desmosterol 152
Rat
Adipose tissue; biosynthesis of triglyceride in 328
lipolytic hormones and adrenergic blocking agents in 300
lipoprotein lipase activity in and triglyceride uptake by 274
pyruvate carboxylase in 73
Chylomicrons, injected i.v., metabolism of 264
Erythrocyte lipid composition of 374
Fasting, effect on hepatic acetyl CoA 515
Fed and fasting, lipogenesis in 682
Heart muscle, free fatty aldehydes in 38
Intestine, metabolism of β-carotene in 249
Liver; biosynthesis of cholesteryl esters by subcellular fractions of 7
chylomicron removal and oxidation by 90
lecithins of, unimolecular subfractions of 155
Nicotinic acid-induced FFA rebound in 239
Plasma; cholesterol-esterifying enzyme in 126
cholesteryl esters of, fatty acid composition of 126
turnover of cholesteryl esters of lipoproteins in 7

Serum, lipoproteins of, connection with milk production 138
Red cells: *see* **Erythrocytes**
Reptiles: Bile salts in (review) 535
Respiration: Of cells, inhibition of, by oxidation products of linoleate (review) 417
Retinal: Oxidation to retinoic acid by intestinal mucosa 249
Retinal rods: Lipid extraction from, effect of light and dark adaptation 245
Retinaldehyde: From retinae, possible complex with phospholipid 245
Retinoic acid
Biosynthesis of, by intestinal mucosa 249
Transport of, in portal blood 249
Rhodamine B: Triple complex of, with free fatty acids and uranyl ion 589
Rhodopsin: Extraction of lipid from 245
Rosenmund reaction: Synthesis of aldehydes by 158

S

Serine glycerophosphatides
Fatty acids of; in human plasma 676
in human red cells 667
Serum: Lipids of, same fatty acids as lymph lipids after CCl_4 treatment 181
Serum cholesterol: Of gerbil, effect of dietary fats on 210
Serum lipids: Lowering of, by anion exchangers 24
Serum, post-heparin: Lecithinase activity in 46
Sex: Effect on plasma cholesterol-esterifying enzyme (rat) 126
Sheep
Erythrocyte lipid composition of 374
Lung, biosynthesis of saturated lecithins by 335
Silver nitrate chromatography: *see* **Chromatography, argentation**
Sitosterol: Transport in bile salt micelles compared to that of cholesterol 598
Skin
Lipogenesis in, from various amino acids 84
Perfusion of, limitations for biochemical study 84
Soybean phosphatides: Phosphatidyl inositol from 513
Sphingolipid bases: Gas–liquid chromatography of 391
Sphingomyelin
Accumulation of in spleen, possible explanation of 202
Fatty acids of; in human plasma 676
in human red cells 667
Of rabbit plasma, low compared to man, rat 409
Sphingomyelinase
In human spleen (two types) 202
In Niemann-Pick disease 202
Spleen: Sphingomyelinase in human, normal and Niemann-Pick 202
Squirrel monkey: Nervous system myelin, composition of 569
Stalagmosis: Induction by hydroxyoctenal (review) 417
Stereospecific analysis: Of triglycerides 167
Steroid conjugates: Extraction of, by liquid ion exchanger 55
Sterols: TLC of, on alumina–$AgNO_3$ 282
Storage: Of erythrocytes, red cell ghosts, and plasma 518
Subcellular particles
Lipid-rich; composition of 642
isolation of 642
Succinate
Effect (none) on fixation of CO_2 into glyceride-glycerol 688
Effect on lipogenesis 682
Surface potential: *see* **Monolayers**
Synthesis: Of fatty aldehydes 158

T

Taurocholate, sodium
Conditions for crystallization of 90
Polymorphism of 90
Tay-Sachs disease: Ceramide hexosides in 105
Tetraheptylammonium chloride: For extraction of lipid anions from aqueous solutions 55
Thin-layer chromatography: *see* **Chromatography, thin-layer**
Thyrotropin: Lipolytic vs. glucose oxidation effects 300
Transition temperature: Of stearic acid–stearate monolayers 255
Triglycerides
Biosynthesis of, by adipose tissue 328
Distribution of isomers of monoenoic fatty acids in 661
Extrahepatic formation of 646
Metabolism of, during heavy exercise 366
Stereospecific analysis of 167
Turnover and plasma and hepatic pools in dog 114
Uptake of, correlated with lipoprotein lipase activity 274
Trimethylsilyl ethers: Of methyl glycosides 621
Trimethylsilylation: Of long-chain bases, improved reagent for 391
Triphosphoinositide: Complexes with metal ions and proteins 609
Tumor: Lipids of (Ehrlich ascites), glyceryl ether diesters in 494
Turnover: Of cholesteryl esters of plasma lipoproteins in rat 7

U

Ultrafiltration: Of micelles through Millipore 598
Uranyl ion: Complex with fatty acids 589
Uropygial gland: Excretion from, identification of constituents of 131
Uropygiols: Alkanediols from chicken preen gland 131

V

Vinyl ethers: Substituted, formation from dimethyl acetals on GLC 2

W

Waxes: From chicken preen gland 131
White matter
Ceramide hexosides of (normal), in gangliosidoses 105
Proteolipid from, improved preparation of 65

X

X-ray diffraction: Of egg lecithin–water mixtures 551

Y

Yeast
Diphosphatidyl glycerol from 281
Phosphatidyl inositol from, purification of 281
Yeast phospholipids: Methylated ethanolamines from, GLC of 565

NEW METHODS INDEX

VOLUME 8 NUMBERS 1–6

Compiled by H. A. I. Newman

The numbers in this Index refer to entry numbers in the New Methods listings. They are found on the following pages of Volume 8:

Nos. 1– 89, pp. 69– 72
Nos. 90–194, pp. 161–164
Nos. 195–297, pp. 289–292
Nos. 298–405, pp. 411–414
Nos. 406–520, pp. 529–533
Nos. 521–630, pp. 700–703

Acetates: GLC of 305
Acetoacetate: In serum and urine, automated determination of 153
Acids, organic: In aqueous solution, by pyrolysis of tetramethylammonium salts in gas chromatograph 299
Acyl CoA synthetases: Of intact rat liver mitochondria, double beam spectrophotometry 517
Amino acids: New paper chromatographic solvent 452
Antioxidants
Extraction, cleanup, and GLC of BHA and BHT in fats and oils 108
In Vitamin A oil, separation and detection by TLC 89
PG, NDGA, BHT, and BHA in fats and oils by TLC 194
Separation from galenic preparations of 11 lipid-soluble agents 403
TLC of 296
BHA in fats and oils: Extraction, cleanup, and GLC of 108
BHT in fats and oils: Extraction, cleanup, and GLC of 108
Bile acids
Chenodeoxycholic and deoxycholic acid from human duodenal contents, quantitative TLC of 238
Chenodeoxycholic differentiated by mass spectrometry from deoxycholic acid in alligator bile 237
Comparative studies in fishes by TLC 140
Conjugated, TLC of 139
Conjugates efficiently extracted with tetraheptylammonium chloride 347
3α,7α-Dehydroxy-5β-cholestanoic acid in alligator bile 237
Deoxycholic acid by mass spectrometry differentiated from chenodeoxycholic acid in alligator bile 237
Deoxycholic and chenodeoxycholic acid from human duodenal contents, quantitative TLC of 238
Dihydroxy in human feces by GLC 6
Microquantitative separation of cellular by GLC 424
Monohydroxy in human feces by GLC 6
Serum, conjugated, in acute hepatitis 346
Sodium taurocholate, crystallization of 472
TLC of 42
Bile alcohols: Conjugated, TLC of 139
Calciferol: By TLC 180
Carbonyl compounds: Determination via polarography of their semicarbazones 221
Cardiac glycosides: GLC of 315
Carotenoid epoxides: Mass spectrometry of 389
Carotenoids
Extraction and quantitative determination of, aided by TLC 70
Fractionation in the Scarlet Ibis 176
Separation and determination of 611
Silylation to determine tertiary hydroxyl groups 391
^{14}C-Carotenoids: Color quench elimination in liquid scintillation counting of 286
Ceramide aminophosphonate: Purification and elemental analysis of 21
Cerebrosides
From central nervous system, TLC of 269
From rat brain lipids, hydrolysis and ion exchange column chromatography of 275
2-Chloroethyl fatty acid esters: GLC of, with a halogen-specific detector 531
Cholestane: Separated from cholesteryl butyrate and tristearin by liquid microcolumn with flame ionization detector 445
5β-Cholestane-3α,7α,12α,24α-tetrol: Separated from 5β-cholestane-3α,7α,12α,24β-tetrol by TLC 575
Cholesterol
Automated analysis of 439
Automated, serum total, with a single color reagent 141
Autoxidation, TLC of products 577
In brain lipid extracts, GLC of 532
In cerebrospinal fluid by a micro method 576
Interference with iron–sulfuric acid reaction by nitrate and nitrate 144
Isolated by automated gradient elution columns 443
Removal from butter fat by rapid quantitative procedure 352
Serum; semiautomated, by Abell-Kendall method 349
variables in the Technicon N24 method 351
Total and esterified, in serum 240
Total, in serum, with a combined reagent 145
Cholesterol determination: Interference by retinol 353
Cholesterol side-chain desmolase: 186
Cholesteryl butyrate: Separation from cholestane and tristearin by lipid microcolumn with flame ionization detector 445
Cholesteryl esters
GLC of intact labeled 16
In serum 240
IR semiautomatic analysis of 492
Cholesteryl sulfate: Isolated from human aortas and adrenal tumors 474
Choline plasmalogen: From rat brain lipids, hydrolysis and ion exchange column chromatography 275
Chromatography, column
Band-broadening in 628

Concave gradient generation in, simple device for 81
Mass detector for 626
Chromatography, gas–liquid
Apparatus for, novel 414
Automatic injection system for high temperature runs on biological extracts 526
^{14}C and tritium in GLC effluents 420
Carrier gas thermal conductivity and flame ionization detector sensitivity 8
Contribution of gas expansion to peak width 534
Derivative method for 419
Dimethylsilyl ether derivatives in 428
Distortion of the chromatographic curve by electric transmission 413
Distortion of the recording of simple processes by electric transmission 412
Flame ionization detector for 528
Flame ionization detector sensitivity and carrier gas thermal conductivity 8
Flame ionization detector sensitivity increase by hyperoxygenation 9
Mass spectrometry and 423
Mass spectrometry, fast scan in tandem 102
Micropipet encapsulation for 522
Peak analysis by IR 13
Stationary phase selectivity principles for 422
Use of Sephadex in 196
Viscosity of peak and its effect on quantification 524
Chromatography, thin-layer
Aids for 294
Coating for, with adjustable-height steel-rail aligning tray 295
Continuous preparative 629
Documentation of, by means of a fast-copying machine DOKUFO 88
Localization test in (simple, nonspecific) 84
Microslide preparation for 519
New spray reagent replacing sulfuric acid 192
On plates of different thickness 87
Preparative scale apparatus 85
Preparative, solution application in 190
Preserving chromatograms 83
Quantification 191, 518, 624, 625, 627
Quantitative application of extracts of 623
Sample applicator for 293
Sample recovery by vacuum distillation 189
Spectral reflectance measurement with a Zeiss spectrophotometer 82
Tetracycline spray for lipids 319
Two-dimensional, with a different type or thickness of adsorbent in the second dimension 520
Chylomicrons
Disc electrophoresis of 397
Labeled cholesteryl esters incorporated into 184
Corbicula: Complex lipid mixture analysis 21
Countercurrent distribution: Novel apparatus for 414
Cytolipin R: Pure lipid hapten from rat lymphosarcoma 600
C-1,2-Dehydrogenase: Steroidase of *Bacillus sphaericus*, GLC of substrates and products of 185
Detergents
Anionic, titrated with quaternary solutions 471
Pluronic, proportions of ethylene oxide and propylene oxide in, by IR 473
Digitalis glycosides
Assay in man 40
Plasma and tissue concentrations of, improved method for 34
1,2-Diglyceride acetates: Separated by GLC 106
Diglycerides
GLC of silylated 17
Ratio to 1,3-diglycerides, determination of 493
Separated from mono- and triglycerides in shortenings by column chromatography 162
Electron microscopy: New staining method for lipid-containing membranes 214
Electrophoresis: Thin-layer starch gel for characterization and quantification of proteins 183
Esterase: Nonspecific, of rat small intestine, histochemical and biochemical analysis of 79
Ethanolamine glycerol ether: From rat brain lipids, hydrolysis and ion exchange column chromatography of 275
Ethinyl: Silyl ether and acetate ester derivatives for GLC 537
Fat
In meat, Babcock procedure modified with dimethyl sulfoxide 323
In meat products, simultaneous assay with water 206, 208
In milk, photometric determination of 209
Milk extraction methods for pesticide analysis 438
Milk; micromeasurement of 440
rapid saponification of 358
Milko-tester for determination in milk 442
Neutral, in feces, rapid determination of 320
O_2 uptake by GLC 3
Refractometry for determination in cookies and bakery products 434
Thermal oxidation of corn oil, characterization of nonvolatile compounds from 483
Total body, in man, by absorption of ^{85}Kr 115
Fat globules: Counted and sized electronically 205
Fat thickness: In man, a comparison of ultrasound, Harpenden calipers, and electrical conductivity 316
Fatty acid esters
Dialkyl carbonate-induced transesterification of, for analysis in milk 355
In lipstick, GLC of 301
Saponification of, effect of water on 151
Sulfuric anhydride, determination of sulfated tall oil 245
Unsaturated; autoxidized with thiobarbituric-acid-reactive substances 50
UV-irradiated with thiobarbituric-acid-reactive substances 50
Fatty acid methyl ester
BF_3 as a selective demethylating agent 148
Branched-chain, GLC retention time of 302
Contaminant identification in GLC 425
GLC of; isotope fractionation 15
open tubular 1
retention time relationships 96
silylated 17
with low cost chromatograph 311
n-Hexenyl, separation of theoretically possible isomeric forms 197
Hydroxy, comparisons of trifluoroacetyl and trimethylsilyl derivatives on GLC 411
Isotope fractionation by GLC 15
Long-chain, rapid GLC of 306
Marine oil on EGSP-Z 90

Methyl lesquerolate, GLC of silylated 17
Methyl ricinoleate, GLC of silylated 17
Microreactor for methanolysis of triglycerides before GLC 410
Milk, GLC of: review 418
Natural and artificial occurrence in lipid extracts 317
Perdeuterated, GLC and mass spectroscopic properties of 533
Polyunsaturated; by preparative GLC 529
loss of during GLC 7
Rapid preparation of for GLC 244, 540
Separation of, according to chain length and unsaturation on TLC 482
Short-chain, factors affecting recovery of from esterification mixtures 243
Stationary phases having many ester groups 20
Storage of oxidizable in glass capillary tubing 586
Thermal conductivity detectors, response factors in GLC of 416
TLC of, reversed phase, on silanized Silica Gel G 157
Unsaturated, hydrogenation device for GLC of 154

Fatty acids
Acetylenic, by mass spectrometry 477
Aqueous, GLC of 521
Crystallization of, from acetonitrile of linseed oil 258
Cyclic, removal of aromatic acids during hydrogenation 150
Cyclopropenoid; 46
by the dilution–HBr–titration technique 155
by GLC 105
in cottonseed meal 584
Drosophila melanogaster, characterization by paper chromatography 581
Epoxy from hydroxy, halohydroxy, and keto by TLC 254
Essential, in hardened fats, by various analytical methods 160
Extraction of from food 359
Halohydroxy from epoxy, hydroxy, and keto by TLC 254
Hydrogenation of linoleate, microvapor phase, monitored with tandem chromatography radioactivity 481
Hydroxamic acid derivatives of, colorimetric determination of 51
Hydroxy; from epoxy, halohydroxy, and keto by TLC 254
5-hydroxy-4-ketohexanoic acid, determination of 242
4-hydroxynonanoic, by chromatography 480
4-hydroxyoctanoic, in butter fat, γ-lactone of 480
unsaturated (spasmogenic), TLC of 146
Keto from epoxy, hydroxy, and halohydroxy by TLC 254
α-Ketocarboxylic 248
Ketonic, column chromatography of 2,4-dinitrophenylhydrazones of 490
Long-chain from plant cutin by micro and semi-micro procedures 246
Octanoyl CoA, column chromatographic purification of 582
Peroxides, monohydro, of oleate and linoleate esters, IR and NMR of 357
Polyunsaturated, isolation from Pteridophytes and identification of 426
Saturated, on cellulose TLC 578
Separated by partition column chromatography and indicator titration 152
Short-chain; after rapid saponification of milk fat 358
butyl esters, preparation of for GLC 362
TLC of, on cellulose 149
TLC of, reversed phase, on silanized Silica Gel G 157
Unsaturated; chromatography and quantification of 583
determination of double bond positions by ozonization–pyrolysis 147
determined by hydrogenation 256, 579
from soybean and linseed oil, separated by crystallization and liquid–liquid extraction 259
hydroxy (spasmogenic) 146
trans Unsaturation, in hydrogenated fats and oils 587
Volatile; from rumen fluid by GLC 527
in aqueous solution by GLC 195
sample introduction into GLC 203

Fatty alcohols
Aqueous solubility of 361
3,5-Dinitrobenzoates of C_1–C_{14} alcohols by two-dimensional TLC 363
GLC of; 305
by use of a secondary alkanol stationary liquid 12
in butter and vegetable oils 5
In lipstick, GLC of 301
Mixtures separated by TLC 53
Monohydric, microspectrophotometry of 247
Polyethoxylates and sulfates, GLC for chain length distributions 307
Separated from fatty acids, fatty esters, and glycerides by TLC 52
Separation from human hair lipids by TLC and GLC 486

Fatty aldehydes
Dimethyl acetals; GLC of 313
TLC of 249
2,4-Dinitrophenylhydrazones, TLC of 249
Homologues, TLC of 249
Preparation of models for GLC, the conversion of octadecanal dimethyl acetal to methyl 1-octadecenyl ether 313
Synthesized by the Rosenmund reaction 489
α-,β-Unsaturated, TLC of 47, 250
Vinylogues, TLC of 249

Free fatty acids
Aqueous solubility of 361
Colorimetric method of Novak, specificity of 252
Comparisons of titrimetric and colorimetric methods 260
Conductivity analysis for, in cottonseed oil 488
Dole procedure modified by Trout, specificity of 253
GLC of 408
In butter oil and provolone cheese 479
Microtitration of, in plasma 356
Photometric "titration" of with the Technicon Auto-Analyzer 100
Plasma; automatic titration by photocolorimetry 251
semiautomatic method for determination of 354
Spectrophotometric determination of, with sodium fluorescein 580
Titration of human plasma and erythrocyte 257

Free fatty aldehydes: Detected in myelin sheaths of peripheral nerves 54

Galactose
Automated analysis of, with galactose oxidase 382
Galactose oxidase determination of 378
Urinary; enzymatic determination of 385
test paper for 376

Galactosyl diglyceride: Hydrolysis and ion exchange column chromatography of 275

Gangliosides
From brain, separation into components 381
From central nervous system, TLC of 269

From rat brain lipids, hydrolysis and ion exchange column chromatography of 275
Gas–liquid chromatography: *see* **Chromatography, gas–liquid**
Gaucher's disease: Diagnosis of, with small samples of venous blood 380
Glucose: Urinary enzymatic determination of 385
Glycerides: Separated from fatty acids, alcohols, and esters by TLC 52
Glycerol: From bacterial cell walls, paper chromatography of 261
Glycolipids
Carbohydrate release from, by osmium-catalyzed periodate oxidation and mild alkali treatment 377
Ceramide galactosides separated from ceramide glucosides by paper chromatography 383
Isolated by automated gradient elution columns 443
Hexosamines: Determined by GLC 384
Hexoses: Enzymatic determination of, in blood and urine 379
Hydrocarbons
Alkane, alkene, and alkyne separations on gas–solid activated alumina columns 404
Branching as determined by IR spectroscopy 484
^{14}C-Labeled, by GLC radiochromatography 103
Polycyclic aromatic, in vegetable oils, extraction and estimation of 405
Unsaturated, by mass spectrometry 193
Hydrogenolysis: An identification tool 314
Hydroxyl groups
Alcoholic, by succinic anhydride 156
Colorimetry of 487
β-Hydroxy-β-methylglutaryl CoA reductase: In rat liver 187
Hyroxysteroid dehydrogenase: Histochemical localization in livers 290
3-Hydroxysteroid dehydrogenase: In microgram samples of tissue 622
20α-Hydroxysteroid dehydrogenase: Histochemical localization in human placenta 292
3α- and 3β-Hydroxysteroid oxidoreductases: By disc electrophoresis 291
IR spectroscopy: Analysis of GLC peaks by 13
Ketone bodies: ^{14}C-Labeled, determined by liquid scintillation counting 360
Lipase
Microbial, assay at constant pH 516
Plate method for titrating for, in pancreatin 515
Serum 188
Lipid peroxidation: Malonyl dialdehyde estimation in biochemical systems 158
Lipids
Bacterial, separated by ion exchange paper chromatography 215
Blood serum, TLC solvents for 213
Charring of, on TLC 210
Chromatographic analysis of, by various techniques 544
Chromatography of biologically active, from rabbit irides 545
Colorimetric determination of, with sodium dichromate 24
Computerized analysis of serum 511
Detection on TLC; 22
reversed phase, with fluorescein 25
Determination by charring 23, 116
Extraction from peanuts by wet rendering 207
Extraction from retinal rods, effect of light on 541
Fish meal 211
GLC of with flame ionization detection 445
Histochemical studies after acrolein fixation 436
Histotopochemistry, TLC application to 435
In avian nervous tissues, histochemical reactions 117
In human adrenal extracts, TLC of 562
Labeled plasma and tissue, determination of by TLC 113
Loss of, during fixation for electron microscopy 441
Muscle, separated into classes without chromatography 437
Quantitative TLC of 322, 542
Saponification of, as affected by silicic acid and alkali concentrations 530
Separation from nonlipid contaminants on Sephadex bead columns 26
Separation of, by silver ion chromatography: review 212
Serum and epidermal, by TLC 318
Serum lipoprotein, total, determination of 114
Serum, total, determination of 114
Tissue, by TLC 29
TLC spray with tetracyclines 319
Total, in cerebrospinal fluid, by micromethod 576
Lipoamide: By GLC 10
Lipoic acid: By GLC 10
Lipopolysaccharides: Extraction from gram-negative bacterial with dimethyl sulfoxide 433
Lipoprotein lipase
Improved substrate preparation 78
Lipid hydrolysis products, separation of by column chromatography and TLC 80
Lipoproteins
α, affinity of Evans Blue for 620
Auto-antilipoprotein-antibodies of γ-A-myeloma, isolation and purification of 615
Computerized analysis of serum 511
Disc electrophoresis of isolated rat serum 398
Electrophoresis distribution of cholesterol-bearing proteins 399
From blood by gel filtration 289
Human serum, gel filtration of 287
Isolation by gel-filtration procedure 617
Low density; in health and disease 400
isolated from small volumes of human serum 621
of human serum, simplified method of analysis of film records 510
Pig serum, separation and properties of 182
Plasmocytoma serum paraprotein lipids with respect to lipid precipitation by heparin 618
Polyacrylamide concentration, influence of on rat serum 512
Polymorphism, detection of in human low density 181
Preparative fractionation of 513
Sedimentation, viscosity, and partial specific volume of 616
Serum, detection of altered, in equine infectious anemia 288
Serum, thin-layer electrophoresis of 77
Serum β-, purification of 619
Species specificity of 395
Subfractionation of rat serum low density 396
Very high density, of human serum 394
Lipoxygenase: Soybean, assay by polarography of 514
Malonyl dialdehyde: From lipid peroxidation in biochemical systems 158
Membranes: Lipid-containing, new staining method for electron microscopy of 214

Methyl hydroxystearates: NMR spectra of, solvent effects 364
Methyl linoleaidate: Separated from methyl linoleate by liquid microcolumn with flame ionization detection 445
Methyl linoleate
Autoxidized; identification of derivatives by mass, NMR, and IR spectrometry 49
identification of 2,4,6-trialkyl-1,3,5 trioxane products 48
Countercurrent distribution of alkali-isomerized, in an argentation system 485
Fractionation of geometric isomers of, by argentation countercurrent distribution 255
Methyl octadecadienoate: Isomers of, by combined liquid–solid and capillary GLC 199
Methyl octadecanoate: By combined liquid–solid and capillary GLC 199
Methyl octadecyl sulfonate: IR anisotropy and structure of crystalline 159
Methyl octanoate: Derivatives of, from autoxidized methyl linoleate, by mass, NMR, and IR spectrometry 49
Methyl stearates
IR analysis of deuterium 585
IR anisotropy and structure of crystalline 159
Mevalonic acid: GLC of 45
Monoglycerides
GLC of silylated 17
Periodic acid analysis of 161
Separated from di- and triglycerides in shortenings by column chromatography 162
Monosaccharides
Diphenylamine–aniline–phosphoric acid spray reagent for paper chromatograms 276
Glucose and 2-deoxyglucose identified on chromatograms with glucose oxidase 277
Niemann-Pick disease: Diagnosis of, with small samples of venous blood 380
Nonsaponifiable matter
Quantitative isolation from butter oil 43
Residues in milk 241
Phenolic compounds: New paper chromatographic solvent for 452
Phospholipase B: Histochemical demonstration of in rat tissues 401
Phospholipids
Acidic, by one-dimensional TLC 500
Analysis of; automated 439
by TLC 496
by two-dimensional strip-transfer paper chromatography 61
Cardiolipin; prepared by ion exchange chromatography 501
semiquantitative preparation of, by column chromatography 273
Choline, determination of 605
Choline plasmalogen, hydrolysis of 275
Column chromatography of different cationic forms of 272
Diphosphoinositide, hydrolysis of 275
Ethanolamine; determination of 165
N-methylated, in hydrolysates by TLC 601
Ethanolamine plasmalogen, hydrolysis of 275
High resolution NMR spectra of 266
Histochromatography of, in human brain 58
Hydrolysis of, stepwise, then chromatography 271
Inositol plasmalogen, hydrolysis of 275
Lung tissue, rapid quantification of 59, 167
Microdetermination of in biologic materials 591
^{32}P-Labeled, from brain particulates, separated and determined by TLC 264
Phosphatidic acid; hydrolysis of 275
obtained by enzymatic degradation of lecithin catalyzed by phospholipase C 595
purification of, from wheat germ 593
two-dimensional analysis on silica gel-loaded paper 64
Phosphatidyl choline; from central nervous system, TLC of 275
hydrolysis of 275
preparation of by TLC 375
reversed-phase partition TLC to yield eight lecithins 495
structural analysis of by TLC 370
two-dimensional analysis of on silica gel-loaded paper 64
Phosphatidyl ethanolamine; from central nervous system, TLC of 269
hydrolysis of 275
ox-brain, 1,2-diglyceride acetates derived from, separated by GLC 106
preparation by TLC 375
Phosphatidyl glycerol; hydrolysis of 275
two-dimensional analysis of on silica gel-loaded paper 64
Phosphatidyl glycerol phosphate, hydrolysis of 275
Phosphatidyl inositol; hydrolysis of 275
purification of serologically active, from *Mycobacterium tuberculosis* 169
two-dimensional analysis of on silica gel-loaded paper 64
yeast, removal of sphingolipid impurity from 604
Phosphatidyl serine; hydrolysis of 275
semiquantitative isolation of by cellulose column chromatography 170
serine from, determination of 165
two-dimensional analysis of on silica gel-loaded paper 64
Quantitative class analysis by TLC 164
Quantitative determination by direct photodensitometry 597
Quantitative determination of plasma, by TLC and indirect photodensitometry 594
Separated from nonpolar lipids by either countercurrent extraction or dialysis 596
Sphingomyelin; from central nervous system, TLC of 269
silicic acid-impregnated paper for separation of 599
two-dimensional analysis of on silica gel-loaded paper 64
Phosphorus determination
Acid concentration in 602
Atomic absorption spectrophotometry with molybdenum as a light source 497
Automated 172
Colorimetric 498
Determination of orthophosphate suitable for assay of ATPase 62
Enzymatic method for 603
Fluorometry for trace quantities 373
Hanes-Isherwood spray modified for important phosphate esters separated on TLC 503
Inorganic; 502

detection on paper 267
from plasma curves 171
in body fluids 371
microcolorimetry 268
serum, automatic and manual methods 166
Interference; by arsenic, silicon, and germanium 499
by labile organic phosphate 369
by mannitol 274
Lipid, in cerebrospinal fluid by a micromethod 576
Micro; in biologic materials 591
titrimetric method 374
Molybdates, organic based, for 598
NMR of a mixture of ortho- and pyrophosphates 592
Polyhydric alcohol effect on 265
Titration with electrical endpoint 372
Titration with lead nitrate 60
Phthalate esters: Nonvolatile products of thermal oxidation of corn oil 483
Phytol: GLC of 300
Plasmalogenic acid: Hydrolysis of 275
Plasmalogens: Two-dimensional TLC for estimation of 168
Pregnanediol
In pregnancy urine by GLC 95
And isomers, by GLC 97
Proteolipids: Extraction from brain and other tissues, influence of sucrose on 321
Quinones: Separation and determination of 611
Rancidity in vegetable oils: GLC in determining 202
Retinal: Metabolites of, in rat bile 175
Retinoic acid: Metabolites of, in rat bile 175
Retro-dehydrocarotenoids: IR spectra 282
Selenium-75: Indicator for sulfur compounds 606
Serum lipid classes: Fatty acid patterns of 478
Shellfish: Lipid analysis of 21
Solvent evaporation: From small samples 543
Soxhlet extractor: Improved form of 444
Sphingomyelin
Hydrolysis of 275
Isolation by automated gradient elution columns 443
Sphingosine bases: Isomeric separation as dinitrophenyl derivatives 270
Squalene: Thiobarbituric-acid-reactive substances from autoxidized or UV-irradiated 50
Steroidases: GLC of substrates and products 185
Steroids
Acetates, optical rotatory dispersion of 33
Adrenocortico; color characterization on TLC 122
oxidation products, GLC of 109
Adsorption chromatography, anomalous behavior on 560
Aldosterone; by fluorometry 37
secretion rate, measurement in man 230
Analysis by photometric scanning of TLC 118
Androgen-producing cells, histochemically 470
5α-Androstanes, C-14 epimeric by GLC 335
Δ^5-Androstenetriol in premature infant urine 232
Androsterone; from Δ^0-analogues by GLC 204
in human peripheral plasma 446
sulfate, acid hydrolysis and carbon–oxygen cleavage 563
sulfate extraction and purification of with ion-exchange resins 339
urinary, in male rhesus 344
17-Aza, NMR spectra of 457
Blue tetrazolium, reduction kinetics 127
Bromomethyldimethylsilyl ethers, preparation and GLC of 525
C-19 aldehydes, reactions of 571
Cardiotonic, fluorescent spray reagent for detection and quantification on TLC 557
Chloromethyldimethylsilyl ethers, GLC and preparation of 18
Conjugated, separated on lipophilic Sephadex 135
Conjugates, urinary, hydrolysis and quantitative extraction of 467
Cortico; fluorometry of 564
in dog organs and tissues by paper chromatography 220
in plasma, determined by fluorometry 329, 454
in plasma, omitting the petroleum ether extraction 341
plasma determined by binding with globulin and dextran-coated charcoal 231
quantified with ^{14}C-blue tetrazolium 469
trimethylsilyl ethers of methyl oximes, GLC of 304
Corticosterone; and cortisone in plasma, simultaneous fluorometry of 559
fluorometry in duck's plasma 448
labeled, evaporation of solvents and stability of 222
plasma, simple chromatography technique for 219
Cortisol; in plasma, simple chromatographic technique for 219
metabolites quantified in rat liver slices and homogenates 552
Cortisone and corticosterone in plasma, simultaneous fluorometry of 559
Cyclic thioketals, NMR of 343
Dehydroepiandrosterone; sulfate extraction and purification 339
urinary, in male rhesus 344
11-Deoxy-17-keto; GLC of 200
GLC of *n*-butyrates of 536
urinary, as halogenoalkyl ethers, GLC of 429
21-Deoxy-Δ^4-3-oxo, of pregnane series by TLC 229
11-Deoxy separated from 11-oxy-17-ketosteroid by alumina columns 31
Destruction of on TLC 331
Detection of on Silica Gel G 134
3α,5β-Dimethyl-4,4 androstanone-6, mass spectroscopy of 547
Dimethylsilyl, trimethylsilyl, and chloromethyldimethylsilyl ethers, GLC of, detector response to 538
Elution of from TLC 546
17-Epiestriol, chromatographic identification of as a constituent of laying hen urine 558
16-Epiestriol from urine of male children 101
Epimerization at C-17 and optical rotary dispersion 131
Estimation of by immunochemical techniques 548
Estradiol; ethinyl by GLC and comparison with U.S.P. determination 94
in pregnancy urine by TLC 451
Estriol; epimerization of, to 16-epiestriol 345
in pregnancy urine by GLC 107
in pregnancy urine by TLC 451
inhibitory factors in determination of urinary 41
plasma, in pregnancy 132
trimethylsilyl ether of, TLC and column chromatography of 551
urinary, acid hydrolysis of 460
Estrogens; conjugated, in human ovaries 453
fluorometry of by Ittrich's procedure 39

free and acetylated, comparison of detection methods on TLC 570
free, in human ovaries 453
human pregnancy urine, GLC of 99
rapid estimation in pregnancy 337
total, in pregnancy urine, rapid colorimetry 120
urinary in pregnancy, automated fluorometric assay of 464
Estrone; ether derivatives of, determination of phenolic hydroxyl impurities in 124
in pregnancy urine by TLC 451
solubility studies in organic solvents by GLC 535
Ethinyl estradiol, colorimetric determination 569
17α-Ethinyl estradiol 3-methyl ether; by colorimetry 566
GLC and UV spectrophotometry of 567
Etiocholanolone; from Δ^9-analogues by GLC 204
urinary in male rhesus 344
urinary, TLC of 130
GLC of; 98, 198
for both mass and radioactivity 44
Glucuronides, GLC of (human urinary) 417
Guanyl hydrazones, determined with phenanthraquinone 459
5α-H and 5β-H, differentiated by electron impact fragmentation 123
Hormonal by TLC 29
Hydrocortisone; and hydrocortisone acetate in antibiotic mastitis preparation 216
specific determination in ointments by polarography 330
Hydroxy; 3,5-diols and 3,5,6-triols, conformations and IR spectra 217
17-hydroxy determination, interference of spironolactone in 121
17-hydroxy separated from 17-keto by chromatography 565
17-hydroxy with 17-keto in human plasma 325
3β-Hydroxy-Δ^5, facile etherification of 218
2-Hydroxy estrogens, detected by a modified Folin-Ciocalteu test 343
15β-Hydroxy estrone, human pregnancy urinary 227
11-Hydroxycortico; unconjugated by fluorometry 327
urinary, GLC of 309
17-Hydroxycortico; by chromatography and isotope-dialysis 128
in monkey or human plasma, ultramicromethod for nonconjugated 549
15β-Hydroxyestradiol-17β, human pregnancy urinary 227
In human peripheral plasma that are solvolyzable, GLC and mass spectroscopic analysis 110
Keto; as ethylene-thioketals by GLC 112
determined with 2,4-dinitrophenylhydrazine 465
TLC spot test for 236
Δ^4-3-Keto; absorption spectra of in concentrated sulfuric acid 463
alternating and direct polarography of 234
thiosemicarbazones of, formation and hydrolysis of 561
3-, 5-, and 20-Keto, Zimmermann reaction of 554
15-Keto, mass spectrometry of 468
17-Keto; by GLC 2
determination of, interference of spironolactone in 121
2,4-dinitrophenylhydrazones, TLC of 235
in urine, separated by Sephadex 119
method for neutral fraction of 38
Reformatsky reaction with ethyl α-bromopropionate 556
separated from 17-hydroxy by chromatography 565
separated from pregnanediol, phenolic steroids, pregnanetriol, and ketols on Florisil columns 336
urinary, GLC of 201, 312
urinary, semiautomated analysis with bismuthate or periodate 137
Ketols separated from other steroids on Florisil columns 336
Kober chromogens in human pregnancy urine 133
Lactames, isomeric by TLC 334
2-Methoxy estrogens detected by a modified Folin-Ciocalteu test 342
1α-Methyl-5α-androstan-17β-ol-3-one 28
O-Methyloximes, resolution of syn and anti isomers 555
Monoglucuronides, extraction and hydrolysis of 129
Nitrate esters; IR absorption of 226
IR studies at 680–1800 cm^{-1} 225
NMR spectra of 333
Oximes, isomeric, by TLC 334
17-Oxy; glucosiduronates and sulfates in human urine 36
with 17-hydroxycortico in human plasma 325
5,8-Peroxides by GLC 298
Phenolic, separated from other steroids on Florisil columns 336
Polyamide TLC of 223
Prednisolone in horse, TLC of metabolites of 456
Pregnanediol; and allopregnanediol in menstrual cycle by TLC 449
human urinary, GLC of 312
routine method for GLC 523
separated from other steroids on Florisil columns 336
separated from pregnanetriol 455
trimethylsilyl ether of, TLC of 551
urinary 332
urinary by four methods 27
urinary, GLC of 303, 312
urinary, GLC of, with automatic sample application 340
urinary, separated from pregnanetriol by GLC 407
urinary, TLC of 447
Pregnane-3α,20α-diol, quantitative extraction of 326
5β-Pregnane-3α,20α-diol in cow urine, GLC of 415
Pregnanetriol; human urinary, GLC of 312
on silica gel microcolumns 455
separated from other steroids on Florisil columns 336
urinary 312, 332
urinary, separated from pregnanediol by GLC 407
Pregnane-3α,17α,20α-triol, quantitative extraction of 326
Pregnanolone, urinary, GLC of 303
Pregnan-20-one C/D *cis* derivatives by optical rotary dispersion 131
Progesterone; 4-^{14}C-metabolites from domestic sow urine 233
and derivatives by TLC 30
17-hydroxy and derivatives by TLC 30
in blood, GLC of 35
Quantitative recovery of, from TLC 466
Quinestrol, colorimetric determination of 569
Rapid methods for 461
$\Delta^{9(11)}$-25R-Sapogenins, proton magnetic resonance spectra of 125
Saponins, capsidin determined by agar diffusion 450
Selective retention of steroid hydrocarbons by polar stationary phases 430

Sulfates, TLC of 338
Testosterone; by colorimetry 224
by ultramicro enzyme analysis 324
glucuronide by double isotopic dilution 328
in human peripheral plasma 446
in sulfate fraction of human plasma 458
propionate in oil, reverse-phase partition chromatography of 568
urinary 32, 138, 432
Thermomicroscopic and spectroscopic studies of, in a binary system 228
Trimethylsilyl ethers, mass spectrometry of 553
α,β-Unsaturated oximes, resolution of syn and anti isomers 555
Urinary conjugates, Sephadex extraction of 126
Urinary, GLC of 539
Urinary, GLC separation and IR microspectrometry of 136
Use of hydrocarbons as reference standards for steroid members and methylene units 430
Zimmermann reagent, addition of water to reduce background in paper chromatograms 550

Sterols
A and B ring substituted, GLC and TLC of 142
Acetates, separated by column and TLC 476
Acetic anhydride and dimethylsulfoxide, reactions with 572
9,19-Cyclo, mass spectrometry of 348
Desmosterol; impure state of commercial 475
separation of 24- and 25-dehydro compounds 475
Fuco, NMR of 350
GLC of, for both mass and radioactivity 44
7-Ketocholesterol in preparations of 462
Oat seed, GLC–mass spectroscopy of 421
Soybean, separated by Florisil chromatography 143
Sulfonates; GLC of 431
structure as it relates to the elimination reaction 431
TLC of; observation in UV light 574
on natural alumina impregnated with silver nitrate 573

Steryl glucoside: Soybean, separated by Florisil chromatography 143

Steryl phosphonates: Synthesis from α,β-ethylene ketones 406

Sulfate
In presence of phosphate 63
Modified microdetermination of, by flask combustion 504

Sulfatides
From central nervous system, TLC of 269
Hydrolysis and ion exchange column chromatography of 275
Isolated by automated gradient elution columns 443

Sulfolipid: Recovery from plant lipid extracts 65

Surfactants: TLC of, for rapid molecular weight determination 297

Terpenes
Anethole, GLC of 278
Bicyclic, low-voltage spectrometry of 173
Di; determination of absolute configuration of esters of 67
mass spectra of 386
NMR spectra of 66
Eugenol, GLC of 278
Farnesol, saturated hydrochlorides of 607
Geraniol; GLC of 278
saturated hydrochloride of 607
GLC of; on temperature-programmed open tubular column 14
with polyester stationary phases 92, 93
Isoprene, GLC–mass spectrometry of pyrolysis products 310
Lemon oil by two-dimensional TLC 86
Linalool, saturated hydrochlorides of 607
Mentha arvensis var. *glabsata ray* volatile oil, GLC of 111
Mono-, dehydrogenation of Pt–Al catalyst 308
Monotropein glucoside, X-ray investigation of 610
Nerolidol, saturated hydrochloride of 607
Norsequiterpene, mass spectroscopic fragmentation of 506
Of *Pinus halepensis*, spot tests for 508
Phytol, saturated hydrochloride of 607
Polyisoprenoid alcohols, GLC of derivatives 19
Related products 609
Resin acid methyl esters by GLC 4
Sesqui, by GLC 104
Tri; from Ginseng, mass spectroscopy of 608
1-hydroxy derivatives, IR absorption of 388
mass spectra of 386
mass spectrometry of 348
mass spectroscopy of, influence of ethylenic relationships on diterpene fragmentation 505
NMR and mass spectral studies of pentacyclic 68
NMR of 69
Trimethylsilyl ethers of, by TLC 387

Thin-layer chromatography: *see* **Chromatography, thin-layer**

Tocopherols: In butter and vegetable oils, GLC of 5

Triglycerides
Assay of fatty acid distribution on, pancreatic lipase specificity 365
Colorimetry of glycerol after periodate oxidation, application to triglycerides 590
Determination of, in human serum 56
Enzymatic determination of blood 491
GLC of; 409
under improved conditions 11
Histochemical detection of, with specific lipases and calcium–lead sulfide 55
IR semiautomatic analysis of 492
Low temperature partial alcoholysis of 368
Pigment removal from cottonseed oil by bleaching earth–alumina columns 263
Plasma, routine determination of 367
Polar, on silicic acid columns 589
Separated from mono- and diglycerides in shortening by column chromatography 162
Separated from phospholipids by either countercurrent extraction or dialysis 596
Separation of, according to chain length and unsaturation on TLC 482
Serum; colorimetric micromethod 366
Hantzsch reaction for 163
Stereospecific analysis of 588
Structural analysis of milk fat by fractional crystallization 494
Structure of unsaturated by countercurrent distribution and lipase hydrolysis 57
Trisaturated in fats as determined by separation of mercury acetate adducts on Florisil columns 262

Tristearin: Separated from cholestane and cholesteryl butyrate by liquid microcolumn with flame ionization detector 445

Ubiquinols: Mass spectroscopy of 507

Ubiquinones: Mass spectroscopy of 507

Vitamin A
Aldehyde–tricarbonyliron adduct 281
AOAC method, history and future of 284
By TLC 180
Determination of; in presence of contaminants 178
in presence of Neovitamin A 177
Fluorometric determination of 390
In presence of Vitamin D by cylindrical TLC 613
Isomer evaluation 279
NMR of polyenes related to 393
Vitamin D
By TLC 180
Determination of; in evaporated milk 74
in presence of Vitamin A 75
In fresh-water fish liver oils, by spectrometry 174
In presence of Vitamin A by cylindrical TLC 613
Nanogram quantities by GLC 91
Sudan black indicator for on TLC 179
Vitamin E
Determination in animal tissues 509
Florisil, silicic acid, and secondary magnesium phosphate column chromatography of 612
Fluorometric micromethod for serum 71
Glass-fiber paper chromatography of 280
Identification and estimation of by GLC 427
Identification of supplemental, in feeds 285
Rapid determination of in serum 72
Separation and determination of different tocopherols; by GLC 73
by TLC and spectrometry 76
Vitamin K
Detection of new form of 614
Separation from associated lipids by reverse-phase partition columns 392
Vitamin K_2: Separated on methylated Sephadex capillary columns 283
Waxes
TLC of 402
True, TLC of 630
Zoosterols: TLC spray reagent for 239

ERRATUM

Journal of Lipid Research, Volume **8**, Number 4, July, 1967, pages 413 and 414.

Nos. 376, 379, 382, and 385 should refer to *Supplement 19* of the Scandinavian Journal of Clinical and Laboratory Investigations rather than to Volume **18**.